

800<sup>+</sup>  
SUMMER TYRES SIZES  
200<sup>+</sup>  
WINTER TYRES SIZES  
60<sup>+</sup>  
ALL SEASON TYRES



POWERTRAC TYRE CO., LIMITED

Add: Room 2001, Jinding Mansion,  
No. 83 Haier Road, Laoshan District, Qingdao, China



**PCR TIRES**  
**CATALOGUE**



# MANUFACTURE INTRODUCTION

## PCR&TBR

20 million pieces PCR  
5 million sets TBR

## ISO

the certifications of  
ISO/TS 16949 Quality  
Management System

Powertrac Tyre Co., Limited. belongs to Shandong Haohua Tire Co., Ltd as a sales company focusing on selling POWERTRAC brand.

Shandong Haohua Tire Co., Ltd. is located at Binhai National Economic Development Zone, Welfang, Shandong - the beautiful national Circum -Bohai-Sea blue economic area.

Shandong Haohua Tire Co., Ltd. is a large modern enterprise founded in 2011 in the green and eco-friendly concept, covers an area of 1,066,672 square meters with the 554,000 square meters' building area, total investment amounts to 500 million USD with flowers blooming and trees shading the street in the factory. The company boasts advanced tire R&D capability, production technology, test equipment and a specialized technology and management team (all members have work experience of 15 years averagely in the industry, including two senior economists, two senior engineers, sixteen intermediate engineers, three doctors and five masters), and achieves an annual production of 20 million pieces PCR and 5 million sets TBR respectively and the annual turnover is about 1 billion USD.

Shandong Haohua Tire Co., Ltd. people uphold the spirit of "Credibility, Cooperation, Diligence, Innovation", establish the service concept of "Focus on Production by Enterprise, Staff by Management, Customer in Market, and Social Responsibility by Haohua", and build up a noted national tire brand in the environmental ethic of "Low-carbon, Economy, Green, Safety".

Shandong Haohua Tire Co., Ltd. has obtained the certifications of ISO/TS 16949 Quality Management System, ISO 14001 Environmental Management System and OHSAS 18001 Occupational Health and Safety Management System, as well as CCC, ECE,SMARK, DOT, INMETRO, and GCC. "Haohua" tires are featured by high cost performance, low carbon, environmental protection, noiselessness, comfort, safety and reliability, with UHP SUV as our leading product.

We sincerely hope to be your trustworthy friend!

# CONTENTS

|                                |    |
|--------------------------------|----|
| Manufacture Introduction ..... | 01 |
| Pattern Selection Guide .....  | 05 |
| ECO .....                      | 07 |
| UHP .....                      | 15 |
| H/T .....                      | 25 |
| A/T M/T .....                  | 31 |
| VAN .....                      | 39 |
| White Sidewall .....           | 45 |
| 4-SEASON .....                 | 51 |
| SNOW .....                     | 55 |
| Certificates .....             | 67 |



**Safety Comfort Durable**

**Economy Environmental**

### Enterprise Core Values

Professional and dedicated sales team, Long-term and stable customers, Worldwide sales network, Rich experience in marketing, Fast and accurate market information, Unique product line, Consistent quality service.

### Work style

Professional: Serve customers in the most professional way.

Efficient: We provide the fastest solutions.

Enthusiastic: Follow up cooperation with the greatest enthusiasm.

Persistence: With the most sincere attitude to achieve the win-win cooperation.

### Cultural philosophy

Enterprise mission: Bring excellent Chinese tyres to all over the world.

Enterprise vision: Become the international leading tyre supplier.

### Business philosophy

Take the staff as the root and take the customer as the center.

Product-based, market-oriented.

Constantly improve brand core competitiveness, aim to be the global leading tyre supplier.





## Pattern Selection Guide



ECO



Adamas HP



Citymarch



Taxi Max



VAN



Vantour



Loading



UHP



Racing Pro



Cityracing-UHP



Cityracing-RFT



White Sidewall



Vanmarch



Roadtour



H/T



Cityracing-SUV



Cityrover



4-SEASON



PowerMarch A/S



A/T M/T



Power Lander A/T



Power Rover M/T



Power Rover M/T II



SNOW



Snowtour



Snowstar



Snowmarch



Snowmarch Stud



Ice X pro





**ECO**



**ADAMAS HP**



**CITYMARCH**



**TAXI MAX**




NEW

# ADAMAS HP



Performance test:



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 12 - 16 |
| SERIES       | 55 - 80 |
| SPEED RATING | T - V   |

Four wide circumferential tread grooves deliver the ride stability and offer excellent performance on wet conditions. Improved grooves and bead profile design offer better ride stability, endurance and handling performance.

Continuous solid center rib and lateral tread blocks connected by rib-in-chain enhance steering stability, decrease block deformation and reduce energy loss.





Continuous tread blocks on both shoulder give great support to enhance the stability when cornering, the closed shoulders deliver excellent quiet ride.

Special tread compound delivers excellent grip on both dry and wet roads and offer longer mileage.

| Wheel Diameter | Size      | Index  | Sidewall Description | RIM | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-----------|--------|----------------------|-----|-------|----------|----------------|----------------------|----|----|----|
| 12'            | 145/70R12 | 69T    | BSW                  | 4.5 | 9.0   | 145      | 509            | 300/44               | E  | C  | 70 |
|                | 155/70R12 | 73T    | BSW                  | 4.5 | 9.0   | 155      | 523            | 300/44               | E  | C  | 70 |
|                | 165/70R12 | 77T    | BSW                  | 5.0 | 8.8   | 165      | 537            | 300/44               | E  | C  | 70 |
|                | 175/70R12 | 80T    | BSW                  | 5.0 | 8.5   | 175      | 551            | 300/44               | E  | C  | 70 |
|                | 145/80R13 | 71T    | BSW                  | 4.5 | 8.5   | 150      | 534            | 300/44               | E  | C  | 70 |
| 13'            | 145/80R13 | 75T    | BSW                  | 4.0 | 8.5   | 145      | 562            | 300/44               | E  | C  | 70 |
|                | 155/65R13 | 73T    | BSW                  | 4.5 | 9.2   | 157      | 532            | 300/44               | E  | C  | 70 |
|                | 155/70R13 | 75T    | BSW                  | 4.5 | 9.2   | 157      | 548            | 300/44               | E  | C  | 70 |
|                | 155/80R13 | 79T    | BSW                  | 4.5 | 9.2   | 157      | 578            | 300/44               | E  | C  | 70 |
|                | 165/65R13 | 77T    | BSW                  | 5.0 | 9.2   | 170      | 544            | 300/44               | E  | C  | 70 |
|                | 165/70R13 | 79T    | BSW                  | 5.0 | 9.2   | 170      | 562            | 300/44               | E  | C  | 70 |
|                | 165/80R13 | 83T    | BSW                  | 4.5 | 9.2   | 165      | 594            | 300/44               | E  | C  | 70 |
|                | 175/60R13 | 77H    | BSW                  | 5.0 | 9.2   | 177      | 540            | 300/44               | E  | C  | 70 |
|                | 175/65R13 | 80T    | BSW                  | 5.0 | 9.6   | 177      | 558            | 300/44               | E  | C  | 70 |
|                | 175/70R13 | 82T    | BSW                  | 5.0 | 9.2   | 177      | 576            | 300/44               | E  | C  | 70 |
| 14'            | 185/70R13 | 86T    | BSW                  | 5.5 | 9.2   | 189      | 590            | 300/44               | E  | C  | 70 |
|                | 155/65R14 | 75H    | BSW                  | 4.5 | 9.2   | 157      | 558            | 300/44               | E  | C  | 70 |
|                | 165/60R14 | 75H    | BSW                  | 5.0 | 9.2   | 170      | 554            | 300/44               | E  | C  | 70 |
|                | 165/60R14 | 79TXL  | BSW                  | 5.0 | 8.5   | 170      | 554            | 340/50               | E  | C  | 71 |
|                | 165/65R14 | 79H    | BSW                  | 5.0 | 9.2   | 170      | 570            | 300/44               | E  | C  | 70 |
|                | 165/70R14 | 81H    | BSW                  | 5.0 | 9.2   | 170      | 588            | 300/44               | E  | C  | 70 |
|                | 165/70R14 | 85TXL  | BSW                  | 5.0 | 9.0   | 170      | 588            | 340/50               | E  | C  | 71 |
|                | 175/65R14 | 82H    | BSW                  | 5.0 | 9.2   | 177      | 584            | 300/44               | E  | C  | 70 |
|                | 175/65R14 | 86TXL  | BSW                  | 5.0 | 9.2   | 177      | 584            | 340/50               | E  | C  | 71 |
|                | 175/70R14 | 84H    | BSW                  | 5.0 | 9.2   | 177      | 602            | 300/44               | E  | C  | 70 |
|                | 175/70R14 | 88TXL  | BSW                  | 5.0 | 9.2   | 177      | 602            | 340/50               | E  | C  | 71 |
|                | 185/50R14 | 77V    | BSW                  | 6.0 | 8.8   | 194      | 542            | 300/44               | E  | C  | 70 |
|                | 185/55R14 | 80H    | BSW                  | 6.0 | 9.9   | 194      | 560            | 300/44               | E  | C  | 70 |
|                | 185/60R14 | 82H    | BSW                  | 5.5 | 9.4   | 189      | 578            | 300/44               | E  | C  | 70 |
|                | 185/65R14 | 86H    | BSW                  | 5.5 | 9.4   | 189      | 596            | 300/44               | E  | C  | 70 |
| 15'            | 185/70R14 | 88H    | BSW                  | 5.5 | 9.4   | 189      | 616            | 300/44               | E  | C  | 70 |
|                | 195/60R14 | 86H    | BSW                  | 6.0 | 9.4   | 201      | 590            | 300/44               | E  | C  | 71 |
|                | 195/65R14 | 89H    | BSW                  | 6.0 | 8.8   | 201      | 610            | 300/44               | E  | C  | 71 |
|                | 195/70R14 | 91H    | BSW                  | 6.0 | 9.4   | 201      | 630            | 300/44               | E  | C  | 71 |
|                | 205/60R14 | 88H    | BSW                  | 6.0 | 9.8   | 209      | 602            | 300/44               | E  | C  | 71 |
|                | 205/70R14 | 95H    | BSW                  | 6.0 | 9.8   | 209      | 644            | 300/44               | E  | C  | 71 |
|                | 145/65R15 | 72T    | BSW                  | 4.5 | 8.5   | 150      | 569            | 300/44               | E  | C  | 70 |
|                | 155/60R15 | 74T    | BSW                  | 4.5 | 8.5   | 157      | 567            | 300/44               | E  | C  | 70 |
|                | 165/60R15 | 77H    | BSW                  | 5.0 | 8.5   | 170      | 579            | 300/44               | E  | C  | 70 |
|                | 165/65R15 | 81H    | BSW                  | 5.0 | 8.5   | 170      | 595            | 300/44               | E  | C  | 70 |
|                | 175/55R15 | 77H    | BSW                  | 5.5 | 9.4   | 182      | 573            | 300/44               | E  | C  | 70 |
|                | 175/60R15 | 81H    | BSW                  | 5.0 | 9.4   | 177      | 591            | 300/44               | E  | C  | 70 |
|                | 175/65R15 | 84H    | BSW                  | 5.0 | 9.4   | 177      | 609            | 300/44               | E  | C  | 70 |
|                | 185/55R15 | 82V    | BSW                  | 6.0 | 9.4   | 194      | 585            | 300/44               | E  | C  | 70 |
|                | 185/60R15 | 84H    | BSW                  | 5.5 | 9.4   | 189      | 603            | 300/44               | E  | C  | 70 |
|                | 185/60R15 | 88HXL  | BSW                  | 5.5 | 9.4   | 189      | 603            | 340/50               | E  | C  | 71 |
|                | 185/65R15 | 88H    | BSW                  | 5.5 | 9.4   | 189      | 621            | 300/44               | E  | C  | 70 |
|                | 185/65R15 | 92TXL  | BSW                  | 5.5 | 9.4   | 189      | 621            | 340/50               | E  | C  | 71 |
|                | 195/50R15 | 82V    | BSW                  | 6.0 | 12.0  | 201      | 577            | 300/44               | E  | C  | 71 |
|                | 195/55R15 | 85V    | BSW                  | 6.0 | 11.3  | 201      | 595            | 300/44               | E  | C  | 71 |
| 16'            | 195/60R15 | 88H    | BSW                  | 6.0 | 9.4   | 201      | 615            | 300/44               | E  | C  | 71 |
|                | 195/60R15 | 88V    | BSW                  | 6.0 | 9.4   | 201      | 615            | 300/44               | E  | C  | 71 |
|                | 195/65R15 | 91V    | BSW                  | 6.0 | 9.4   | 201      | 635            | 300/44               | E  | C  | 71 |
|                | 195/65R15 | 95HXL  | BSW                  | 6.0 | 9.4   | 201      | 635            | 340/50               | E  | C  | 72 |
|                | 205/60R15 | 91V    | BSW                  | 6.0 | 9.8   | 209      | 627            | 300/44               | E  | C  | 71 |
|                | 205/65R15 | 94H    | BSW                  | 6.0 | 9.8   | 209      | 647            | 300/44               | E  | C  | 71 |
|                | 205/65R15 | 94V    | BSW                  | 6.0 | 9.8   | 209      | 647            | 300/44               | E  | C  | 71 |
|                | 205/70R15 | 96H    | BSW                  | 6.0 | 9.8   | 209      | 669            | 300/44               | E  | C  | 71 |
|                | 215/65R15 | 96H    | BSW                  | 6.5 | 10.0  | 221      | 661            | 300/44               | E  | C  | 71 |
|                | 215/65R15 | 100HXL | BSW                  | 6.5 | 9.2   | 221      | 661            | 340/50               | E  | C  | 72 |
|                | 215/70R15 | 98H    | BSW                  | 6.5 | 10.0  | 221      | 683            | 300/44               | E  | C  | 71 |
|                | 225/70R15 | 100H   | BSW                  | 6.5 | 10.0  | 228.0    | 697.0          | 300/44               | E  | C  | 71 |
|                | 175/50R16 | 77V    | BSW                  | 5.5 | 8.5   | 182.0    | 582.0          | 300/44               | E  | C  | 70 |
|                | 185/50R16 | 81V    | BSW                  | 6.0 | 8.8   | 194.0    | 592.0          | 300/44               | E  | C  | 70 |
|                | 185/55R16 | 83V    | BSW                  | 6.0 | 8.8   | 194.0    | 610.0          | 300/44               | E  | C  | 70 |
|                | 185/60R16 | 86H    | BSW                  | 6.0 | 8.5   | 189.0    | 628.0          | 300/44               | E  | C  | 70 |
|                | 195/55R16 | 87V    | BSW                  | 6.0 | 8.8   | 201.0    | 620.0          | 300/44               | E  | C  | 71 |
|                | 195/60R16 | 89H    | BSW                  | 6.0 | 8.8   | 201.0    | 640.0          | 300/44               | E  | C  | 71 |
|                | 205/55R16 | 91V    | BSW                  | 6.5 | 9.8   | 214.0    | 632.0          | 300/44               | E  | C  | 71 |
|                | 205/60R16 | 92V    | BSW                  | 6.0 | 9.8   | 209.0    | 652.0          | 300/44               | E  | C  | 71 |
|                | 205/60R16 | 96HXL  | BSW                  | 6.0 | 9.8   | 209.0    | 652.0          | 340/50               | E  | C  | 72 |
|                | 205/65R16 | 95H    | BSW                  | 6.0 | 10.0  | 209.0    | 672.0          | 300/44               | E  | C  | 71 |
|                | 215/60R16 | 95V    | BSW                  | 6.5 | 10.0  | 221.0    | 664.0          | 300/44               | E  | C  | 71 |
|                | 215/60R16 | 99HXL  | BSW                  | 6.5 | 10.0  | 221.0    | 664.0          | 340/50               | E  | C  | 72 |
|                | 215/65R16 | 98H    | BSW                  | 6.5 | 10.0  | 221.0    | 686.0          | 300/44               | E  | C  | 71 |
|                | 215/65R16 | 102HXL | BSW                  | 6.5 | 14.5  | 221.0    | 686.0          | 340/50               | E  | C  | 72 |
|                | 225/60R16 | 102HXL | BSW                  | 6.5 | 9.2   | 228.0    | 676.0          | 340/50               | E  | C  | 72 |
|                | 225/60R16 | 98H    | BSW                  | 6.5 | 10.0  | 228.0    | 676.0          | 300/44               | E  | C  | 71 |
|                | 225/65R16 | 100H   | BSW                  | 6.5 | 9.2   | 228.0    | 698.0          | 300/44               | E  | C  | 71 |
|                | 235/60R16 | 100H   | BSW                  | 7.0 | 10.0  | 240.0    | 688.0          | 300/44               | E  | C  | 71 |



# CITYMARCH



## M+S


|              |         |
|--------------|---------|
| RIM SIZE     | 13 - 16 |
| SERIES       | 55 - 80 |
| SPEED RATING | T - V   |



| Wheel Diameter | Size      | Index | Sidewall Description | RIM  | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-----------|-------|----------------------|------|-----|-------|----------|----------------|----------------------|----|----|----|
| 13'            | 155/65R13 | 73T   | BLK                  | 4.5B | 7.8 | 9.2   | 157      | 532            | 300/44               | E  | C  | 70 |
|                | 165/65R13 | 77T   | BLK                  | 5.0  | 7.3 | 9.2   | 170      | 544            | 300/44               | E  | C  | 70 |
|                | 165/70R13 | 79T   | BLK                  | 5.0  | 7.3 | 9.2   | 170      | 562            | 300/44               | E  | C  | 70 |
|                | 165/80R13 | 83T   | BLK                  | 4.5  | 7.3 | 9.2   | 165      | 594            | 300/44               | E  | C  | 70 |
|                | 175/70R13 | 82T   | BLK                  | 5.0  | 7.3 | 9.2   | 177      | 576            | 300/44               | E  | C  | 70 |
| 14'            | 185/70R13 | 86T   | BLK                  | 5.5  | 7.3 | 9.2   | 189      | 590            | 300/44               | E  | C  | 70 |
|                | 175/65R14 | 82H   | BLK                  | 5.0  | 7.3 | 9.2   | 177      | 584            | 300/44               | E  | C  | 70 |
|                | 175/70R14 | 84H   | BLK                  | 5.0  | 7.3 | 9.2   | 177      | 602            | 300/44               | E  | C  | 70 |
|                | 185/60R14 | 82H   | BLK                  | 5.5  | 7.5 | 9.4   | 189      | 578            | 300/44               | E  | C  | 70 |
|                | 185/65R14 | 86H   | BLK                  | 5.5  | 7.5 | 9.4   | 189      | 596            | 300/44               | E  | C  | 70 |
| 15'            | 185/70R14 | 88H   | BLK                  | 5.5  | 7.5 | 9.4   | 189      | 616            | 300/44               | E  | C  | 70 |
|                | 195/60R14 | 86H   | BLK                  | 6.0  | 7.5 | 9.4   | 201      | 590            | 300/44               | E  | C  | 71 |
|                | 195/70R14 | 91H   | BLK                  | 6.0  | 7.5 | 9.4   | 201      | 630            | 300/44               | E  | C  | 71 |
|                | 175/65R15 | 84H   | BLK                  | 5.0  | 7.5 | 9.4   | 177      | 609            | 300/44               | E  | C  | 70 |
|                | 185/55R15 | 82V   | BLK                  | 6.0  | 7.5 | 9.4   | 194      | 585            | 300/44               | E  | C  | 70 |
| 16'            | 185/60R15 | 84H   | BLK                  | 5.5  | 7.5 | 9.4   | 189      | 603            | 300/44               | E  | C  | 70 |
|                | 185/65R15 | 88H   | BLK                  | 5.5  | 7.5 | 9.4   | 189      | 621            | 300/44               | E  | C  | 70 |
|                | 195/55R15 | 85H   | BLK                  | 6.0  | 7.5 | 9.4   | 201      | 595            | 300/44               | E  | C  | 71 |
|                | 195/55R15 | 85V   | BLK                  | 6.0  | 7.8 | 9.8   | 201      | 595            | 300/44               | E  | C  | 71 |
|                | 195/60R15 | 88H   | BLK                  | 6.0  | 7.5 | 9.4   | 201      | 615            | 300/44               | E  | C  | 71 |
| 15'            | 195/60R15 | 88V   | BLK                  | 6.0  | 7.5 | 9.4   | 201      | 615            | 300/44               | E  | C  | 71 |
|                | 195/65R15 | 91H   | BLK                  | 6.0  | 7.5 | 9.0   | 201      | 635            | 300/44               | E  | C  | 71 |
|                | 195/65R15 | 91V   | BLK                  | 6.0  | 7.5 | 9.4   | 201      | 635            | 300/44               | E  | C  | 71 |
|                | 205/60R15 | 91V   | BLK                  | 6.0  | 7.8 | 9.8   | 209      | 627            | 300/44               | E  | C  | 71 |
|                | 205/65R15 | 94H   | BLK                  | 6.0  | 7.8 | 9.8   | 209      | 647            | 300/44               | E  | C  | 71 |
| 16'            | 205/65R15 | 94V   | BLK                  | 6.0  | 7.8 | 9.8   | 209      | 647            | 300/44               | E  | C  | 71 |
|                | 205/70R15 | 96H   | BLK                  | 6.0  | 7.8 | 9.8   | 209      | 669            | 300/44               | E  | C  | 71 |
|                | 215/60R15 | 94H   | BLK                  | 6.5  | 8.0 | 10.0  | 221      | 639            | 300/44               | E  | C  | 71 |
|                | 215/65R15 | 96H   | BLK                  | 6.5  | 8.0 | 10.0  | 221      | 661            | 300/44               | E  | C  | 71 |
|                | 215/70R15 | 98H   | BLK                  | 6.5  | 8.0 | 10.0  | 221      | 683            | 300/44               | E  | C  | 71 |
| 16'            | 205/55R16 | 91H   | BLK                  | 6.5  | 7.8 | 9.8   | 214      | 632            | 300/44               | E  | C  | 71 |
|                | 205/55R16 | 91V   | BLK                  | 6.5  | 7.8 | 9.8   | 214      | 632            | 300/44               | E  | C  | 71 |
|                | 205/60R16 | 92V   | BLK                  | 6.0  | 7.8 | 9.8   | 209      | 652            | 300/44               | E  | C  | 71 |
|                | 205/65R16 | 95H   | BLK                  | 6.0  | 7.8 | 9.8   | 209      | 672            | 300/44               | E  | C  | 71 |
|                | 215/55R16 | 93H   | BLK                  | 7.0  | 7.8 | 10.0  | 226      | 642            | 300/44               | E  | C  | 71 |
| 16'            | 215/60R16 | 95H   | BLK                  | 6.5  | 8.0 | 10.0  | 221      | 664            | 300/44               | E  | C  | 71 |
|                | 215/65R16 | 98H   | BLK                  | 6.5  | 8.0 | 10.0  | 221      | 686            | 300/44               | E  | C  | 71 |
|                | 225/60R16 | 98H   | BLK                  | 6.5  | 8.0 | 10.0  | 228      | 676            | 300/44               | E  | C  | 71 |
|                | 235/60R16 | 100H  | BLK                  | 7.0  | 8.0 | 10.0  | 240      | 688            | 300/44               | E  | C  | 71 |



# TAXI MAX



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 13 - 16 |
| SERIES       | 55 - 80 |
| SPEED RATING | T - V   |

Safety performance on wet grounds four wide longitudinal straight groove efficiently drain off water ,improving sideslip performance on wet grounds.

Comfort and quietness small cross-slots at both side of continuous circumferential ribs in the middle simulate the muffler design principle and have strong noise absorption capacity thus ,noise is effectively reduced,and riding comfort is improved..



Small shoulder circumferential longitudinal grooves at both sides and plump little pattern blocks on shoulders bring ideal rigidity and excellent handing. meanwhile,small circumferential longitudinal grooves enable tires shoulders to diffuse heat quickly,providing higher safety performance.

| Wheel Diameter | Size            | Index  | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-----------------|--------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 13'            | 165/70R13       | 79T    | BSW                  | 5.0 | 7.0 | 8.8   | 170      | 562            | 300/44               | —  | —  | —  |
| 14'            | 175/70R14       | 84H    | BSW                  | 5.0 | 7.1 | 8.9   | 177      | 602            | 300/44               | —  | —  | —  |
|                | 185/60R14       | 82T    | BSW                  | 5.5 | 7.3 | 9.2   | 189      | 578            | 300/44               | —  | —  | —  |
|                | 195/60R14       | 86T    | BSW                  | 6.0 | 7.3 | 9.2   | 201      | 590            | 300/44               | —  | —  | —  |
| 15'            | 185/65R15       | 88H    | BSW                  | 5.5 | 7.6 | 9.6   | 189      | 621            | 300/44               | —  | —  | —  |
|                | 195/55R15       | 85V    | BSW                  | 6.0 | 7.5 | 9.4   | 201      | 595            | 300/44               | —  | —  | —  |
|                | 195/60R15       | 88V    | BSW                  | 6.0 | 7.5 | 9.4   | 201      | 615            | 300/44               | —  | —  | —  |
|                | 195/65R15       | 91V    | BSW                  | 6.0 | 7.5 | 9.0   | 201      | 635            | 300/44               | —  | —  | —  |
| 16'            | 205/55R16       | 91V    | BSW                  | 6.5 | 7.8 | 9.8   | 214      | 632            | 300/44               | —  | —  | —  |
| 13'            | LT165/70R13-6PR | 88/86S | BSW                  | 5.0 | 7.8 | 9.8   | 170      | 562            | 375/55               | —  | —  | —  |





**UHP**



**RACING Pro**



**CITYRACING-UHP**



**CITYRACING-RFT**




HOT  
SELLING  
PRODUCT

# RACING Pro



Performance test:



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 15 - 21 |
| SERIES       | 30 - 60 |
| SPEED RATING | H - Y   |

Four wide vertical ditches ensure excellent drainage performance and handling performance of wetland pavement. Meanwhile, drainage groove and optimized curved tire shoulder design can ensure fast and efficient drainage in deep water-filled pavement, which can still guarantee wetland performance.

Raised design at the bottom of the trench, excellent quiet comfort the raised design at the bottom of the longitudinal trench with circumferential discontinuous pattern can interfere with the air column connected to the groove, reduce resonance and thus reduce the noise generated by the longitudinal trench.



The shoulder pattern block, accurate high-speed driving and control performance the outer continuous shoulder design, to strengthen the high-speed steering performance and lateral grip; Inside drainage trench ensure quick and efficient drainage.

Tread pattern, Stable performance in straight line large ground area of the continuous pattern block design, achieving good high-speed braking and steering stability.

| Wheel Diameter | Size       | Index  | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|--------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 15'            | 195/45R15  | 82VXL  | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 556            | 300/44               | C  | B  | 71 |
|                | 195/50R15  | 82V    | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 576            | 300/44               | C  | B  | 71 |
|                | 195/55R15  | 85V    | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 595            | 300/44               | C  | B  | 71 |
|                | 205/50R15  | 86V    | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 586            | 300/44               | C  | B  | 71 |
|                | 195/45R16  | 84VXL  | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 582            | 300/40               | C  | B  | 72 |
| 16'            | 195/50R16  | 88VXL  | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 602            | 340/50               | C  | B  | 72 |
|                | 195/55R16  | 91VXL  | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 620            | 340/50               | C  | B  | 72 |
|                | 195/60R16  | 89H    | BLK                  | 6.0 | 7.0 | 8.8   | 201      | 641            | 300/44               | C  | B  | 71 |
|                | 205/45ZR16 | 87WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 206      | 591            | 340/50               | C  | B  | 71 |
|                | 205/50ZR16 | 91WXL  | BLK                  | 6.5 | 7.0 | 8.8   | 214      | 611            | 340/50               | C  | B  | 71 |
|                | 205/55ZR16 | 91V    | BLK                  | 6.5 | 7.0 | 8.8   | 214      | 632            | 300/44               | C  | B  | 69 |
|                | 205/55ZR16 | 94WXL  | BLK                  | 6.5 | 7.0 | 8.8   | 214      | 632            | 340/50               | C  | B  | 72 |
|                | 215/40ZR16 | 86WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 218      | 578            | 340/50               | C  | B  | 72 |
|                | 215/45ZR16 | 90WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 213      | 600            | 340/50               | C  | B  | 72 |
|                | 215/55ZR16 | 97WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 226      | 642            | 340/50               | C  | B  | 72 |
|                | 225/50ZR16 | 96WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 233      | 631            | 340/50               | C  | B  | 72 |
|                | 225/55ZR16 | 99WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 233      | 654            | 340/50               | C  | B  | 72 |
|                | 195/40ZR17 | 81WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 200      | 589            | 340/50               | C  | B  | 72 |
|                | 195/45ZR17 | 85WXL  | BLK                  | 6.5 | 7.0 | 8.8   | 195      | 607            | 340/50               | C  | B  | 72 |
|                | 205/40ZR17 | 84WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 212      | 596            | 340/50               | C  | B  | 72 |
| 17'            | 205/45ZR17 | 88WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 206      | 616            | 340/50               | C  | B  | 72 |
|                | 205/50ZR17 | 93YXL  | BLK                  | 6.5 | 7.0 | 8.8   | 214      | 638            | 340/50               | C  | B  | 72 |
|                | 205/50ZR17 | 93WXL  | BLK                  | 6.5 | 7.0 | 8.8   | 214      | 638            | 340/50               | C  | B  | 72 |
|                | 205/55ZR17 | 95WXL  | BLK                  | 6.5 | 7.0 | 8.8   | 214      | 657            | 340/50               | C  | B  | 72 |
|                | 215/45ZR17 | 91YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 213      | 626            | 340/50               | C  | B  | 70 |
|                | 215/45ZR17 | 91WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 213      | 626            | 340/50               | C  | B  | 72 |
|                | 215/50ZR17 | 95YXL  | BLK                  | 7.0 | 7.0 | 8.8   | 226      | 648            | 340/50               | C  | B  | 70 |
|                | 215/50ZR17 | 95WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 226      | 648            | 340/50               | C  | B  | 72 |
|                | 215/55ZR17 | 98WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 226      | 668            | 340/50               | C  | B  | 72 |
|                | 225/45ZR17 | 94YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 225      | 634            | 340/50               | C  | B  | 70 |
|                | 225/45ZR17 | 94WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 225      | 634            | 340/50               | C  | B  | 72 |
|                | 225/50ZR17 | 98YXL  | BLK                  | 7.0 | 7.0 | 8.8   | 233      | 658            | 340/50               | C  | B  | 70 |
|                | 225/50ZR17 | 98WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 233      | 658            | 340/50               | C  | B  | 72 |
|                | 225/55ZR17 | 101WXL | BLK                  | 7.0 | 7.0 | 8.8   | 233      | 680            | 340/50               | C  | B  | 72 |
|                | 235/45ZR17 | 97YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 236      | 644            | 340/50               | C  | B  | 70 |
|                | 235/45ZR17 | 97WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 236      | 644            | 340/50               | C  | B  | 72 |
|                | 235/50ZR17 | 100WXL | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 668            | 340/50               | C  | B  | 72 |
|                | 235/55ZR17 | 103WXL | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 690            | 340/50               | C  | B  | 72 |
|                | 245/40ZR17 | 95YXL  | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 628            | 340/50               | C  | B  | 71 |
|                | 245/40ZR17 | 95WXL  | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 628            | 340/50               | C  | B  | 72 |
| 18'            | 245/45ZR17 | 99YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 243      | 652            | 340/50               | C  | B  | 71 |
|                | 245/45ZR17 | 99WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 243      | 652            | 340/50               | C  | B  | 72 |
|                | 215/40ZR18 | 89YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 218      | 629            | 340/50               | C  | B  | 70 |
|                | 215/40ZR18 | 89WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 218      | 629            | 340/50               | C  | B  | 72 |
|                | 215/45ZR18 | 93YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 213      | 651            | 340/50               | C  | B  | 70 |
|                | 215/45ZR18 | 93WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 213      | 651            | 340/50               | C  | B  | 72 |
|                | 215/50ZR18 | 92W    | BLK                  | 7.0 | 7.0 | 8.8   | 220      | 672            | 340/50               | C  | B  | 72 |
|                | 215/55ZR18 | 99WXL  | BLK                  | 7.0 | 7.0 | 8.8   | 224      | 693            | 340/50               | C  | B  | 72 |
|                | 225/35ZR18 | 87YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 230      | 615            | 340/50               | C  | B  | 72 |
|                | 225/35ZR18 | 87WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 230      | 615            | 340/50               | C  | B  | 70 |
|                | 225/40ZR18 | 92YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 230      | 637            | 340/50               | C  | B  | 70 |
|                | 225/40ZR18 | 92WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 230      | 637            | 340/50               | C  | B  | 72 |
|                | 225/45ZR18 | 95YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 225      | 659            | 340/50               | C  | B  | 70 |
|                | 225/45ZR18 | 95WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 225      | 659            | 340/50               | C  | B  | 72 |
|                | 225/50ZR18 | 99WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 228      | 683            | 340/50               | C  | B  | 72 |
|                | 225/55ZR18 | 102WXL | BLK                  | 7.0 | 7.0 | 8.8   | 233      | 704            | 300/44               | C  | B  | 72 |
|                | 235/40ZR18 | 95YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 241      | 645            | 340/50               | C  | B  | 70 |
|                | 235/40ZR18 | 95WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 241      | 645            | 340/50               | C  | B  | 72 |
|                | 235/45ZR18 | 98YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 236      | 669            | 340/50               | C  | B  | 70 |
|                | 235/45ZR18 | 98WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 236      | 669            | 340/50               | C  | B  | 72 |




| Wheel Diameter | Size       | Index   | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|---------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 18"            | 235/50ZR18 | 101YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 693            | 340/50               | C  | B  | 70 |
|                | 235/50ZR18 | 101WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 693            | 340/50               | C  | B  | 72 |
|                | 235/55ZR18 | 104YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 715            | 340/50               | C  | B  | 70 |
|                | 235/55ZR18 | 104WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 715            | 340/50               | C  | B  | 72 |
|                | 245/35ZR18 | 92YXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 629            | 340/50               | C  | B  | 72 |
|                | 245/35ZR18 | 92WXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 629            | 340/50               | C  | B  | 70 |
|                | 245/40ZR18 | 97YXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 653            | 340/50               | C  | B  | 71 |
|                | 245/40ZR18 | 97WXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 653            | 340/50               | C  | B  | 72 |
|                | 245/45ZR18 | 100YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 243      | 677            | 340/50               | C  | B  | 71 |
|                | 245/45ZR18 | 100WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 243      | 677            | 340/50               | C  | B  | 72 |
|                | 245/50ZR18 | 104WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 247      | 702            | 340/50               | C  | B  | 72 |
|                | 255/35ZR18 | 94YXL   | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 635            | 340/50               | C  | B  | 73 |
|                | 255/35ZR18 | 94WXL   | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 635            | 340/50               | C  | B  | 71 |
|                | 255/40ZR18 | 99YXL   | BLK                  | 9.5 | 7.0 | 8.8   | 260      | 661            | 340/50               | C  | B  | 71 |
|                | 255/40ZR18 | 99WXL   | BLK                  | 9.5 | 7.0 | 8.8   | 260      | 661            | 340/50               | C  | B  | 73 |
|                | 255/45ZR18 | 103YXL  | BLK                  | 8.5 | 7.0 | 8.8   | 255      | 687            | 340/50               | C  | B  | 71 |
|                | 255/45ZR18 | 103WXL  | BLK                  | 8.5 | 7.0 | 8.8   | 255      | 687            | 340/50               | C  | B  | 73 |
|                | 255/55ZR18 | 109YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 265      | 737            | 340/50               | C  | B  | 71 |
|                | 255/55ZR18 | 109WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 265      | 737            | 340/50               | C  | B  | 73 |
|                | 265/35ZR18 | 97YXL   | BLK                  | 9.5 | 7.0 | 8.8   | 271      | 643            | 340/50               | C  | B  | 73 |
|                | 265/35ZR18 | 97WXL   | BLK                  | 9.5 | 7.0 | 8.8   | 271      | 643            | 340/50               | C  | B  | 73 |
|                | 265/40ZR18 | 101YXL  | BLK                  | 9.5 | 7.0 | 8.8   | 271      | 669            | 340/50               | C  | B  | 73 |
|                | 275/40ZR18 | 103YXL  | BLK                  | 9.5 | 7.0 | 8.8   | 285      | 677            | 340/50               | C  | B  | 73 |
|                | 285/35ZR18 | 101YXL  | BLK                  | 9.5 | 7.0 | 8.8   | 290      | 657            | 340/50               | C  | B  | 73 |
| 19"            | 215/35ZR19 | 85YXL   | BLK                  | 8.0 | 7.0 | 8.8   | 220      | 633            | 340/50               | C  | B  | 73 |
|                | 225/35ZR19 | 88YXL   | BLK                  | 8.0 | 7.0 | 8.8   | 230      | 640            | 340/50               | C  | B  | 73 |
|                | 225/40ZR19 | 93YXL   | BLK                  | 8.0 | 7.0 | 8.8   | 230      | 663            | 340/50               | C  | B  | 70 |
|                | 225/40ZR19 | 93WXL   | BLK                  | 8.0 | 7.0 | 8.8   | 230      | 663            | 340/50               | C  | B  | 72 |
|                | 225/45ZR19 | 96YXL   | BLK                  | 7.5 | 7.0 | 8.8   | 225      | 685            | 340/50               | C  | B  | 70 |
|                | 225/45ZR19 | 96WXL   | BLK                  | 7.5 | 7.0 | 8.8   | 225      | 685            | 340/50               | C  | B  | 72 |
|                | 225/55ZR19 | 99V/99Y | BLK                  | 7.0 | 7.0 | 8.8   | 233      | 728            | 340/50               | C  | B  | 70 |
|                | 235/35ZR19 | 91YXL   | BLK                  | 8.5 | 7.0 | 8.8   | 241      | 647            | 340/50               | C  | B  | 72 |
|                | 235/35ZR19 | 91WXL   | BLK                  | 8.5 | 7.0 | 8.8   | 241      | 647            | 340/50               | C  | B  | 70 |
|                | 235/40ZR19 | 96YXL   | BLK                  | 8.5 | 7.0 | 8.8   | 241      | 645            | 340/50               | C  | B  | 70 |
|                | 235/40ZR19 | 96WXL   | BLK                  | 8.5 | 7.0 | 8.8   | 241      | 645            | 340/50               | C  | B  | 72 |
|                | 235/45ZR19 | 99YXL   | BLK                  | 8.0 | 7.0 | 8.8   | 236      | 695            | 340/50               | C  | B  | 70 |
|                | 235/45ZR19 | 99WXL   | BLK                  | 8.0 | 7.0 | 8.8   | 236      | 695            | 340/50               | C  | B  | 72 |
|                | 235/50ZR19 | 103YXL  | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 719            | 340/50               | C  | B  | 70 |
|                | 235/50ZR19 | 103WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 719            | 340/50               | C  | B  | 72 |
|                | 235/55ZR19 | 105WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 245      | 741            | 340/50               | C  | B  | 72 |
|                | 245/35ZR19 | 93YXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 655            | 340/50               | C  | B  | 72 |
|                | 245/35ZR19 | 93WXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 655            | 340/50               | C  | B  | 71 |
|                | 245/40ZR19 | 98YXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 679            | 340/50               | C  | B  | 71 |
|                | 245/40ZR19 | 98WXL   | BLK                  | 8.5 | 7.0 | 8.8   | 248      | 679            | 340/50               | C  | B  | 72 |
|                | 245/45ZR19 | 102YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 243      | 703            | 340/50               | C  | B  | 71 |
|                | 245/45ZR19 | 102WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 243      | 703            | 340/50               | C  | B  | 72 |
|                | 245/55ZR19 | 107WXL  | BLK                  | 7.5 | 7.0 | 8.8   | 253      | 752            | 340/50               | C  | B  | 72 |
|                | 255/30ZR19 | 91YXL   | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 637            | 340/50               | C  | B  | 73 |
|                | 255/30ZR19 | 91WXL   | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 637            | 340/50               | C  | B  | 71 |
|                | 255/35ZR19 | 96YXL   | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 661            | 340/50               | C  | B  | 73 |
|                | 255/35ZR19 | 96WXL   | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 661            | 340/50               | C  | B  | 71 |
|                | 255/40ZR19 | 100YXL  | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 687            | 340/50               | C  | B  | 71 |
|                | 255/40ZR19 | 100WXL  | BLK                  | 9.0 | 7.0 | 8.8   | 260      | 687            | 340/50               | C  | B  | 73 |
|                | 255/45ZR19 | 104YXL  | BLK                  | 8.5 | 7.0 | 8.8   | 255      | 715            | 340/50               | C  | B  | 71 |
|                | 255/45ZR19 | 104WXL  | BLK                  | 8.5 | 7.0 | 8.8   | 255      | 715            | 340/50               | C  | B  | 73 |
|                | 255/50ZR19 | 107YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 265      | 739            | 340/50               | C  | B  | 71 |
|                | 255/50ZR19 | 107WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 265      | 739            | 340/50               | C  | B  | 73 |
|                | 255/55ZR19 | 111YXL  | BLK                  | 8.0 | 7.0 | 8.8   | 265      | 763            | 340/50               | C  | B  | 71 |
|                | 255/55ZR19 | 111WXL  | BLK                  | 8.0 | 7.0 | 8.8   | 265      | 763            | 340/50               | C  | B  | 73 |
|                | 265/30ZR19 | 93YXL   | BLK                  | 9.5 | 7.8 | 9.8   | 271      | 643            | 340/50               | C  | B  | 73 |
|                | 265/30ZR19 | 93WXL   | BLK                  | 9.5 | 7.8 | 9.8   | 271      | 643            | 340/50               | C  | B  | 71 |
|                | 265/50ZR19 | 110WXL  | BLK                  | 8.5 | 7.8 | 9.8   | 277      | 749            | 340/50               | C  | B  | 73 |

| Wheel Diameter | Size       | Index   | Sidewall Description | RIM  | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|---------|----------------------|------|-----|-------|----------|----------------|----------------------|----|----|----|
| 19"            | 275/30ZR19 | 96YXL   | BLK                  | 9.5  | 7.8 | 9.8   | 278      | 649            | 340/50               | C  | B  | 73 |
|                | 275/30ZR19 | 96WXL   | BLK                  | 9.5  | 7.8 | 9.8   | 278      | 649            | 340/50               | C  | B  | 71 |
|                | 275/35ZR19 | 100YXL  | BLK                  | 9.5  | 7.8 | 9.8   | 278      | 675            | 340/50               | C  | B  | 73 |
|                | 275/35ZR19 | 100WXL  | BLK                  | 9.5  | 7.8 | 9.8   | 278      | 675            | 340/50               | C  | B  | 71 |
|                | 275/40ZR19 | 105YXL  | BLK                  | 9.5  | 7.8 | 9.8   | 278      | 703            | 340/50               | C  | B  | 71 |
|                | 275/40ZR19 | 105WXL  | BLK                  | 9.5  | 7.8 | 9.8   | 278      | 703            | 340/50               | C  | B  | 73 |
|                | 275/45ZR19 | 108WXL  | BLK                  | 9.0  | 7.8 | 9.8   | 278      | 730            | 340/50               | C  | B  | 70 |
|                | 275/55ZR19 | 111WXL  | BLK                  | 8.5  | 7.8 | 9.8   | 280      | 785            | 300/44               | C  | B  | 70 |
|                | 285/45ZR19 | 111WXL  | BLK                  | 9.5  | 7.8 | 9.8   | 285      | 739            | 340/50               | C  | B  | 70 |
|                | 195/55R20  | 95HXL   | BLK                  | 6.0  | 7.0 | 8.8   | 201      | 722            | 340/50               | C  | B  | 71 |
| 20"            | 225/35ZR20 | 93YXL   | BLK                  | 8.0  | 7.0 | 8.8   | 230      | 666            | 340/50               | C  | B  | 72 |
|                | 235/30ZR20 | 88YXL   | BLK                  | 8.5  | 7.0 | 8.8   | 242      | 650            | 340/50               | C  | B  | 72 |
|                | 235/35ZR20 | 92YXL   | BLK                  | 8.5  | 7.0 | 8.8   | 242      | 672            | 340/50               | C  | B  | 72 |
|                | 245/30ZR20 | 97YXL   | BLK                  | 8.5  | 7.0 | 8.8   | 247      | 655            | 310/50               | C  | B  | 72 |
|                | 245/35ZR20 | 95YXL   | BLK                  | 8.5  | 7.0 | 8.8   | 248      | 680            | 340/50               | C  | B  | 72 |
|                | 245/35ZR20 | 95WXL   | BLK                  | 8.5  | 7.0 | 8.8   | 248      | 680            | 340/50               | C  | B  | 71 |
|                | 245/40ZR20 | 99YXL   | BLK                  | 8.5  | 7.0 | 8.8   | 248      | 704            | 340/50               | C  | B  | 71 |
|                | 245/40ZR20 | 99WXL   | BLK                  | 8.5  | 7.0 | 8.8   | 248      | 704            | 340/50               | C  | B  | 72 |
|                | 245/45ZR20 | 103WXL  | BLK                  | 8.0  | 7.0 | 8.8   | 243      | 729            | 340/50               | C  | B  | 72 |
|                | 255/30ZR20 | 92YXL   | BLK                  | 9.0  | 7.0 | 8.8   | 260      | 662            | 340/50               | C  | B  | 73 |
|                | 255/30ZR20 | 92WXL   | BLK                  | 9.0  | 7.0 | 8.8   | 260      | 662            | 340/50               | C  | B  | 71 |
|                | 255/35ZR20 | 97YXL   | BLK                  | 9.0  | 7.0 | 8.8   | 260      | 686            | 340/50               | C  | B  | 73 |
|                | 255/35ZR20 | 102YXL  | BLK                  | 9.0  | 7.0 | 8.8   | 260      | 686            | 340/50               | C  | B  | 71 |
|                | 255/35ZR20 | 102WXL  | BLK                  | 9.0  | 7.0 | 8.8   | 260      | 686            | 340/50               | C  | B  | 71 |
|                | 255/45ZR20 | 105WXL  | BLK                  | 8.5  | 7.0 | 8.8   | 255      | 738            | 340/50               | C  | B  | 71 |
|                | 255/50ZR20 | 109WXL  | BLK                  | 8.0  | 7.0 | 8.8   | 265      | 763            | 340/50               | C  | B  | 71 |
|                | 255/55ZR20 | 110WXL  | BLK                  | 8.0  | 7.0 | 8.8   | 263      | 789            | 340/50               | C  | B  | 71 |
|                | 265/45ZR20 | 108WXL  | BLK                  | 9.0  | 7.0 | 8.8   | 266      | 747            | 340/50               | C  | B  | 71 |
|                | 265/50ZR20 | 111WXL  | BLK                  | 9.0  | 7.0 | 8.8   | 277      | 773            | 340/50               | C  | B  | 73 |
|                | 275/30ZR20 | 97YXL   | BLK                  | 9.5  | 7.0 | 8.8   | 278      | 674            | 340/50               | C  | B  | 73 |
| 21"            | 275/30ZR20 | 97WXL   | BLK                  | 9.5  | 7.0 | 8.8   | 278      | 674            | 340/50               | C  | B  | 71 |
|                | 275/35ZR20 | 102YXL  | BLK                  | 9.5  | 7.0 | 8.8   | 278      | 700            | 340/50               | C  | B  | 73 |
|                | 275/35ZR20 | 102WXL  | BLK                  | 9.5  | 7.0 | 8.8   | 278      | 700            | 340/50               | C  | B  | 71 |
|                | 275/40ZR20 | 106YXL  | BLK                  | 9.5  | 7.0 | 8.8   | 278      | 728            | 340/50               | C  | B  | 71 |
|                | 275/45ZR20 | 110YXL  | BLK                  | 9.0  | 7.0 | 8.8   | 273      | 756            | 340/50               | C  | B  | 71 |
|                | 275/50ZR20 | 113WXL  | BLK                  | 8.5  | 7.0 | 8.8   | 284      | 783            | 340/50               | C  | B  | 71 |
|                | 275/55ZR20 | 117WXL  | BLK                  | 8.5  | 7.0 | 8.8   | 284      | 810            | 340/50               | C  | B  | 73 |
|                | 275/60R20  | 115H    | BLK                  | 8.0  | 7.0 | 8.8   | 279      | 838            | 340/50               | C  | B  | 71 |
|                | 285/30ZR20 | 99YXL   | BLK                  | 8.5  | 7.0 | 8.8   | 297      | 679            | 340/50               | C  | B  | 73 |
|                | 285/35ZR20 | 104Y XL | BLK                  | 8.5  | 7.0 | 8.8   | 297      | 708            | 340/50               | C  | B  | 73 |
|                | 285/50ZR20 | 116WXL  | BLK                  | 9.0  | 7.0 | 8.8   | 297      | 793            | 340/50               | C  | B  | 73 |
|                | 305/40ZR20 | 112WXL  | BLK                  | 11.0 | 7.0 | 8.8   | 313      | 752            | 340/50               | C  | B  | 73 |
|                | 315/35ZR20 | 110YXL  | BLK                  | 11.0 | 7.8 | 9.8   | 320      | 728            | 340/50               | C  | B  | 75 |
|                | 315/35ZR20 | 110WXL  | BLK                  | 11.0 | 7.8 | 9.8   | 320      | 728            | 340/50               | C  | B  | 75 |
|                | 245/35ZR21 | 96YXL   | BLK                  | 8.5  | 7.8 | 9.8   | 245      | 705            | 340/50               | C  | B  | 73 |
|                | 245/40ZR21 | 100YXL  | BLK                  | 8.5  | 7.0 | 8.8   | 245      | 729            | 340/50               | C  | B  | 7  |



# CITYRACING-UHP



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 15 - 24 |
| SERIES       | 25 - 55 |
| SPEED RATING | V - W   |

Four wide circumferential tread grooves and lateral grooves with fine sipes provide efficient water evacuation, outstanding wet performance.

Continuous outside tread blocks enhance excellent performance and precise control when cornering at high speed. The special rib segment design optimize contact pressure distribution, improve road contact area and provide precise control. The serrated groove walls absorb noise and deliver a quieter ride.





Continuous block patterns on shoulder enhance the ride stability at high speed cornering. The rim protector will protect wheels from curb damage.

Special tread compound delivers excellent grip on both dry and wet roads and reduce the rolling resistance to save oil and protect environment.

| Wheel Diameter | Size       | Index  | Sidewall Description | RIM  | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|--------|----------------------|------|-----|-------|----------|----------------|----------------------|----|----|----|
| 15'            | 195/50R15  | 82V    | BLK                  | 6.0  | 8.0 | 10.0  | 201      | 577            | 300/44               | E  | C  | 70 |
|                | 195/55R15  | 85V    | BLK                  | 6.0  | 8.0 | 10.0  | 201      | 595            | 300/44               | E  | C  | 70 |
|                | 185/55R16  | 87VXL  | BLK                  | 6.0  | 7.8 | 10.0  | 194      | 545            | 340/50               | E  | C  | 70 |
|                | 195/45R16  | 84VXL  | BLK                  | 6.5  | 8.0 | 10.0  | 195      | 582            | 340/50               | E  | C  | 70 |
|                | 195/50R16  | 88VXL  | BLK                  | 6.0  | 7.0 | 9.0   | 201      | 560            | 340/50               | E  | C  | 70 |
| 16'            | 195/55R16  | 91VXL  | BLK                  | 6.0  | 8.0 | 10.0  | 190      | 619            | 340/50               | E  | C  | 70 |
|                | 205/45ZR16 | 87WXL  | BLK                  | 7.0  | 8.0 | 10.0  | 206      | 590            | 340/50               | E  | C  | 70 |
|                | 205/50ZR16 | 91WXL  | BLK                  | 6.5  | 8.0 | 10.0  | 214      | 612            | 340/50               | E  | C  | 70 |
|                | 205/55ZR16 | 94WXL  | BLK                  | 6.5  | 8.0 | 10.0  | 214      | 632            | 340/50               | E  | C  | 70 |
|                | 215/55ZR16 | 97WXL  | BLK                  | 7.0  | 8.0 | 10.0  | 226      | 642            | 340/50               | E  | C  | 71 |
|                | 225/50ZR16 | 96WXL  | BLK                  | 7.0  | 7.8 | 10.0  | 223      | 632            | 340/50               | E  | C  | 72 |
|                | 225/55ZR16 | 99WXL  | BLK                  | 7.0  | 8.0 | 10.0  | 233      | 680            | 340/50               | E  | C  | 71 |
|                | 205/40ZR17 | 84WXL  | BLK                  | 7.5  | 8.0 | 10.0  | 212      | 596            | 340/50               | E  | C  | 70 |
|                | 205/45ZR17 | 88WXL  | BLK                  | 7.0  | 8.0 | 10.0  | 206      | 616            | 340/50               | E  | C  | 70 |
|                | 205/50ZR17 | 93WXL  | BLK                  | 6.5  | 8.0 | 10.0  | 214      | 638            | 340/50               | E  | C  | 70 |
| 17'            | 205/55ZR17 | 95WXL  | BLK                  | 6.0  | 7.8 | 10.0  | 214      | 658            | 340/50               | E  | C  | 71 |
|                | 215/45ZR17 | 91WXL  | BLK                  | 7.0  | 8.0 | 10.0  | 213      | 626            | 340/50               | E  | C  | 71 |
|                | 215/50ZR17 | 95WXL  | BLK                  | 7.5  | 8.0 | 10.0  | 226      | 648            | 340/50               | E  | C  | 71 |
|                | 215/55ZR17 | 98WXL  | BLK                  | 7.0  | 8.0 | 10.0  | 226      | 668            | 340/50               | E  | C  | 71 |
|                | 225/45ZR17 | 94WXL  | BLK                  | 7.5  | 8.0 | 10.0  | 225      | 634            | 340/50               | E  | C  | 71 |
|                | 225/50ZR17 | 98WXL  | BLK                  | 8.0  | 8.0 | 10.0  | 233      | 658            | 340/50               | E  | C  | 71 |
|                | 225/55R17  | 101WXL | BLK                  | 7.0  | 8.0 | 10.0  | 233      | 680            | 340/50               | E  | C  | 71 |
|                | 235/45ZR17 | 97WXL  | BLK                  | 7.5  | 8.0 | 10.0  | 236      | 644            | 340/50               | E  | C  | 71 |
|                | 235/50ZR17 | 100WXL | BLK                  | 7.5  | 8.0 | 10.0  | 245      | 668            | 340/50               | E  | C  | 71 |
|                | 235/55ZR17 | 103WXL | BLK                  | 7.5  | 8.0 | 10.0  | 245      | 690            | 340/50               | E  | C  | 71 |
|                | 245/40ZR17 | 95WXL  | BLK                  | 8.0  | 7.0 | 9.0   | 248      | 628            | 340/50               | E  | C  | 71 |
|                | 245/45ZR17 | 99WXL  | BLK                  | 8.0  | 8.0 | 10.0  | 243      | 652            | 340/50               | E  | C  | 71 |
|                | 215/35ZR18 | 84WXL  | BLK                  | 7.5  | 8.0 | 10.0  | 218      | 607            | 340/50               | E  | C  | 71 |
|                | 215/45ZR18 | 93WXL  | BLK                  | 7.0  | 7.0 | 9.0   | 213      | 651            | 340/50               | E  | C  | 71 |
|                | 225/40ZR18 | 92WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 230      | 637            | 340/50               | E  | C  | 71 |
| 18'            | 225/45ZR18 | 95WXL  | BLK                  | 7.5  | 8.0 | 10.0  | 225      | 659            | 340/50               | E  | C  | 71 |
|                | 235/40ZR18 | 95WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 241      | 645            | 340/50               | E  | C  | 71 |
|                | 235/45ZR18 | 98WXL  | BLK                  | 8.0  | 8.0 | 10.0  | 240      | 667            | 340/50               | E  | C  | 71 |
|                | 235/50ZR18 | 101WXL | BLK                  | 7.5  | 8.0 | 10.0  | 243      | 693            | 340/50               | E  | C  | 71 |
|                | 245/40ZR18 | 97WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 248      | 653            | 340/50               | E  | C  | 72 |
|                | 245/45ZR18 | 100WXL | BLK                  | 8.0  | 8.0 | 10.0  | 243      | 677            | 340/50               | E  | C  | 72 |
|                | 255/35ZR18 | 94WXL  | BLK                  | 9.0  | 7.2 | 9.0   | 260      | 635            | 340/50               | E  | C  | 70 |
|                | 255/40ZR18 | 99WXL  | BLK                  | 9.0  | 8.0 | 10.0  | 263      | 661            | 340/50               | E  | C  | 72 |
|                | 255/45ZR18 | 103WXL | BLK                  | 8.0  | 7.0 | 9.0   | 255      | 687            | 340/50               | E  | C  | 71 |
|                | 225/35ZR19 | 88WXL  | BLK                  | 8.0  | 7.0 | 8.8   | 230      | 641            | 340/50               | E  | C  | 71 |
| 19'            | 235/35ZR19 | 91WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 241      | 647            | 340/50               | E  | C  | 71 |
|                | 235/55R19  | 105VXL | BLK                  | 7.0  | 7.8 | 10.0  | 245      | 741            | 340/50               | E  | C  | 72 |
|                | 245/35ZR19 | 93WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 248      | 655            | 340/50               | E  | C  | 72 |
|                | 245/40ZR19 | 98WXL  | BLK                  | 8.5  | 7.0 | 8.8   | 248      | 679            | 340/50               | E  | C  | 72 |
|                | 245/45ZR19 | 102WXL | BLK                  | 8.0  | 7.0 | 8.8   | 243      | 703            | 340/50               | E  | C  | 72 |
|                | 245/55R19  | 107VXL | BLK                  | 7.0  | 7.8 | 10.0  | 253      | 753            | 340/50               | E  | C  | 72 |
|                | 255/35ZR19 | 96WXL  | BLK                  | 9.0  | 7.0 | 8.8   | 260      | 661            | 340/50               | E  | C  | 72 |
|                | 225/35ZR20 | 90WXL  | BLK                  | 8.0  | 7.2 | 9.0   | 230      | 641            | 340/50               | E  | C  | 71 |
|                | 225/35ZR20 | 93WXL  | BLK                  | 8.0  | 8.0 | 10.0  | 230      | 666            | 340/50               | E  | C  | 72 |
|                | 245/30ZR20 | 97WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 247      | 657            | 340/50               | E  | C  | 72 |
| 20'            | 245/35ZR20 | 95WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 248      | 680            | 340/50               | E  | C  | 72 |
|                | 255/35ZR20 | 97WXL  | BLK                  | 9.0  | 8.0 | 10.0  | 260      | 686            | 340/50               | E  | C  | 72 |
|                | 255/35ZR20 | 102WXL | BLK                  | 9.0  | 7.2 | 9.0   | 260      | 686            | 340/50               | E  | C  | 72 |
|                | 245/30ZR20 | 90WXL  | BLK                  | 8.5  | 7.0 | 8.8   | 248      | 656            | 340/50               | E  | C  | 72 |
|                | 245/45ZR20 | 103WXL | BLK                  | 8.0  | 7.0 | 8.8   | 243      | 728            | 340/50               | E  | C  | 72 |
|                | 255/45ZR20 | 105WXL | BLK                  | 8.5  | 7.0 | 8.8   | 255      | 738            | 340/50               | E  | C  | 73 |
| 22'            | 245/30ZR22 | 92WXL  | BLK                  | 8.5  | 8.0 | 10.0  | 247      | 708            | 340/50               | E  | C  | 72 |
|                | 255/30ZR22 | 95WXL  | BLK                  | 9.0  | 8.0 | 10.0  | 259      | 713            | 340/50               | E  | C  | 72 |
| 24'            | 255/30ZR24 | 97WXL  | BLK                  | 9.0  | 8.0 | 10.0  | 255      | 767            | 340/50               | E  | C  | 72 |
|                | 275/25ZR24 | 96WXL  | BLK                  | 10.0 | 8.0 | 10.0  | 277      | 751            | 340/50               | E  | C  | 72 |



# CITYRACING-RFT



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 16 - 18 |
| SERIES       | 35 - 55 |
| SPEED RATING | V - W   |

**Sidewall-reinforcement rubber**  
This sidewall-reinforcement rubber is an important part of RFT technology. It is stronger than normal tire rubber. When the tire's air is gone, sidewall-reinforcement rubber can still handle the vehicle's weight and keeps it driving.

**Low-heat bead**  
It uses low heat rubber, can restrain the heat under zero-pressure driving condition and increase the endurance.



**Low-heat bead**  
It uses low heat rubber, can restrain the heat under zero-pressure driving condition and increase the endurance.

| Wheel Diameter | Size       | Index | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|-------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 16'            | 195/55RF16 | 91VXL | BLK                  | 6.5 | 8.0 | 10.0  | 201      | 620            | 340/50               | E  | C  | 70 |
|                | 205/55RF16 | 94WXL | BLK                  | 6.5 | 8.0 | 10.0  | 214      | 632            | 340/50               | E  | C  | 70 |
| 17'            | 205/45RF17 | 88WXL | BLK                  | 7.5 | 8.0 | 10.0  | 206      | 616            | 340/50               | E  | C  | 70 |
|                | 205/50RF17 | 93WXL | BLK                  | 6.5 | 8.0 | 10.0  | 214      | 638            | 340/50               | E  | C  | 70 |
|                | 225/50RF17 | 98WXL | BLK                  | 8.0 | 8.0 | 10.0  | 233      | 658            | 340/50               | E  | C  | 71 |
|                | 225/45RF17 | 94WXL | BLK                  | 7.5 | 8.0 | 10.0  | 225      | 634            | 340/50               | E  | C  | 71 |
| 18'            | 225/40RF18 | 92WXL | BLK                  | 8.5 | 8.0 | 10.0  | 230      | 637            | 340/50               | E  | C  | 71 |
|                | 245/40RF18 | 97WXL | BLK                  | 8.5 | 8.0 | 10.0  | 248      | 653            | 340/50               | E  | C  | 72 |
|                | 245/45RF18 | 100W  | BLK                  | 8   | 7   | 8.8   | 243      | 677            | 340/50               | —  | —  | —  |
|                | 255/35RF18 | 94WXL | BLK                  | 9.0 | 7.2 | 9.0   | 260      | 635            | 340/50               | E  | C  | 70 |

RFT





**H/T**




**CITYRACING-SUV**



**CITYROVER**



# CITYRACING-SUV



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 17 - 24 |
| SERIES       | 35 - 65 |
| SPEED RATING | H - W   |

Four wide circumferential tread grooves and lateral grooves with fine sipes provide efficient water evacuation, outstanding wet performance.

Continuous outside tread blocks enhance excellent performance and precise control when cornering at high speed. The special rib segment design optimize contact pressure distribution, improve road contact area and provide precise control. The serrated groove walls absorb noise and deliver a quieter ride.




Continuous block patterns on shoulder enhance the ride stability at high speed cornering. The rim protector will protect wheels from curb damage.

Special tread compound delivers excellent grip on both dry and wet roads and reduce the rolling resistance to save oil and protect environment.

| Wheel Diameter | Size       | Index  | Sidewall Description | RIM  | MM  | 1/32" | Width MM | O.A.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|--------|----------------------|------|-----|-------|----------|-----------------|----------------------|----|----|----|
| 17"            | 235/65R17  | 108HXL | BLK                  | 7.0  | 8.5 | 10.8  | 240      | 738             | 340/50               | E  | C  | 72 |
|                | 245/65R17  | 107H   | BLK                  | 7.0  | 8.5 | 10.8  | 248      | 750             | 300/44               | E  | C  | 71 |
|                | 255/60R17  | 110VXL | BLK                  | 7.5  | 8.5 | 10.8  | 260      | 738             | 340/50               | E  | C  | 73 |
|                | 255/65R17  | 110H   | BLK                  | 7.5  | 8.5 | 10.8  | 260      | 764             | 300/44               | E  | C  | 71 |
|                | 265/65R17  | 112H   | BLK                  | 8.0  | 8.5 | 10.8  | 272      | 776             | 300/44               | E  | C  | 71 |
| 18"            | 255/55R18  | 109VXL | BLK                  | 8.0  | 8.5 | 10.8  | 265      | 737             | 340/50               | E  | C  | 73 |
|                | 255/60R18  | 112VXL | BLK                  | 8.0  | 8.5 | 10.8  | 265      | 737             | 340/50               | E  | C  | 73 |
| 19"            | 225/55R19  | 103VXL | BLK                  | 7.0  | 7.0 | 9.0   | 233      | 731             | 340/50               | E  | C  | 72 |
|                | 255/50R19  | 107VXL | BLK                  | 8.0  | 8.5 | 11.0  | 265      | 739             | 340/50               | E  | C  | 73 |
|                | 255/55R19  | 111VXL | BLK                  | 8.0  | 8.5 | 10.8  | 265      | 763             | 340/50               | E  | C  | 73 |
|                | 285/45R19  | 111VXL | BLK                  | 9.0  | 7.8 | 10.0  | 285      | 739             | 340/50               | E  | C  | 73 |
|                | 265/50R20  | 111VXL | BLK                  | 9.0  | 8.5 | 10.8  | 277      | 774             | 340/50               | E  | C  | 73 |
| 20"            | 275/40R20  | 106VXL | BLK                  | 9.5  | 8.5 | 10.8  | 278      | 728             | 340/50               | E  | C  | 73 |
|                | 275/45R20  | 110VXL | BLK                  | 9.0  | 8.5 | 10.8  | 273      | 756             | 340/50               | E  | C  | 73 |
|                | 275/55R20  | 117VXL | BLK                  | 8.5  | 8.5 | 10.8  | 284      | 810             | 340/50               | E  | C  | 73 |
|                | 275/60R20  | 119VXL | BLK                  | 8.0  | 8.5 | 10.8  | 279      | 838             | 340/50               | E  | C  | 73 |
|                | 285/50R20  | 116VXL | BLK                  | 9.0  | 8.5 | 10.8  | 297      | 794             | 340/50               | E  | C  | 73 |
|                | 305/35R20  | 107VXL | BLK                  | 11.0 | 7.8 | 10.0  | 313      | 722             | 340/50               | E  | C  | 73 |
|                | 315/35R20  | 110VXL | BLK                  | 11.0 | 7.8 | 10.0  | 320      | 728             | 340/50               | E  | C  | 73 |
| 21"            | 295/35ZR21 | 107WXL | BLK                  | 10.5 | 8.5 | 10.8  | 301      | 739             | 340/50               | E  | C  | 73 |
|                | 295/40ZR21 | 111WXL | BLK                  | 10.5 | 8.5 | 10.8  | 301      | 769             | 340/50               | E  | C  | 73 |
|                | 265/35R22  | 102VXL | BLK                  | 9.5  | 8.5 | 10.8  | 271      | 745             | 340/50               | E  | C  | 73 |
| 22"            | 285/35R22  | 106VXL | BLK                  | 10.0 | 8.5 | 10.8  | 290      | 759             | 340/50               | E  | C  | 73 |
|                | 305/40R22  | 114VXL | BLK                  | 11.0 | 8.5 | 10.8  | 313      | 803             | 340/50               | E  | C  | 73 |
|                | 305/45R22  | 118VXL | BLK                  | 10.0 | 8.5 | 10.8  | 303      | 833             | 340/50               | E  | C  | 73 |
| 24"            | 295/35R24  | 110VXL | BLK                  | 10.5 | 8.5 | 10.8  | 301      | 816             | 340/50               | E  | C  | 73 |
|                | 305/35R24  | 112VXL | BLK                  | 11.0 | 8.5 | 10.8  | 313      | 824             | 340/50               | E  | C  | 73 |



# CITYROVER



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 16 - 18 |
| SERIES       | 55 - 85 |
| SPEED RATING | S - H   |

Four wide circumferential tread grooves deliver the ride stability and offer excellent performance on wet conditions. Improved grooves and bead profile design offer better ride stability, endurance and handling performance.

Variable pitch pattern and solid center ribs improve the ride stability, reduce the noise and deliver a comfortable ride.



The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. Continuous tread blocks on both shoulder give great support to enhance the ride stability when cornering.

High-density sipes with special compound deliver a smooth ride and improve traction on dry and wet roads. Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability.

| Wheel Diameter | Size        | Index    | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-------------|----------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 16'            | 215/70R16   | 100H     | BLK                  | 6.0 | 8.3 | 10.7  | 221      | 708            | 300/44               | C  | C  | 71 |
|                | 225/70R16   | 107HXL   | BLK                  | 6.0 | 8.3 | 10.7  | 228      | 722            | 340/50               | C  | C  | 71 |
|                | 235/70R16   | 106H     | BLK                  | 7.0 | 8.5 | 10.8  | 240      | 736            | 300/44               | C  | C  | 71 |
|                | 245/70R16   | 107H     | BLK                  | 7.0 | 8.5 | 10.8  | 248      | 750            | 300/44               | C  | C  | 71 |
|                | 245/70R16   | 111HXL   | BLK                  | 7.0 | 8.5 | 10.8  | 248      | 750            | 340/50               | C  | C  | 71 |
|                | 255/65R16   | 109H     | BLK                  | 7.5 | 8.5 | 10.8  | 262      | 737            | 300/44               | C  | C  | 71 |
|                | 255/70R16   | 111H     | BLK                  | 7.5 | 8.5 | 10.8  | 260      | 764            | 300/44               | C  | C  | 71 |
|                | 265/70R16   | 112H     | BLK                  | 8.0 | 8.5 | 10.8  | 272      | 778            | 300/44               | C  | C  | 71 |
|                | 275/70R16   | 114H     | BLK                  | 8.0 | 8.5 | 10.8  | 279      | 792            | 300/44               | C  | C  | 72 |
|                | 215/60R17   | 96H      | BLK                  | 6.5 | 8.5 | 10.8  | 221      | 680            | 300/44               | C  | C  | 71 |
| 17'            | 215/65R17   | 99H      | BLK                  | 6.5 | 8.5 | 10.8  | 221      | 710            | 300/44               | C  | C  | 71 |
|                | 225/60R17   | 99H      | BLK                  | 6.5 | 8.5 | 10.8  | 228      | 702            | 300/44               | C  | C  | 71 |
|                | 225/65R17   | 102H     | BLK                  | 6.5 | 8.5 | 10.8  | 228      | 724            | 300/44               | C  | C  | 71 |
|                | 235/60R17   | 102H     | BLK                  | 7.0 | 8.5 | 10.8  | 240      | 714            | 300/44               | C  | C  | 71 |
|                | 235/60R17   | 106HXL   | BLK                  | 7.0 | 8.3 | 10.7  | 240      | 714            | 300/44               | C  | C  | 71 |
|                | 235/65R17   | 104H     | BLK                  | 7.0 | 8.5 | 10.8  | 240      | 738            | 300/44               | C  | C  | 71 |
|                | 245/65R17   | 107H     | BLK                  | 7.0 | 8.5 | 10.8  | 248      | 750            | 340/50               | C  | C  | 71 |
|                | 245/65R17   | 111HXL   | BLK                  | 7.0 | 8.5 | 10.8  | 248      | 750            | 300/44               | C  | C  | 71 |
|                | 255/65R17   | 110H     | BLK                  | 7.5 | 8.5 | 10.8  | 260      | 764            | 300/44               | C  | C  | 71 |
|                | 265/65R17   | 112H     | BLK                  | 8.0 | 8.5 | 10.8  | 272      | 776            | 300/44               | C  | C  | 71 |
| 18'            | 265/70R17   | 115H     | BLK                  | 8.0 | 8.5 | 10.8  | 272      | 804            | 300/44               | C  | C  | 71 |
|                | 275/65R17   | 115H     | BLK                  | 8.0 | 8.5 | 10.8  | 279      | 791            | 300/44               | C  | C  | 72 |
|                | 285/65R17   | 116H     | BLK                  | 8.5 | 8.5 | 10.8  | 292      | 802            | 300/44               | C  | C  | 72 |
|                | 215/55R18   | 96H      | BLK                  | 7.0 | 8.3 | 10.7  | 224      | 693            | 300/44               | E  | C  | 71 |
|                | 225/55R18   | 98H      | BLK                  | 7.0 | 8.3 | 10.7  | 233      | 705            | 300/44               | C  | C  | 72 |
|                | 225/60R18   | 104HXL   | BLK                  | 6.0 | 8.3 | 10.7  | 228      | 727            | 340/50               | C  | C  | 72 |
|                | 235/55R18   | 104HXL   | BLK                  | 7.5 | 8.5 | 10.8  | 245      | 715            | 340/50               | C  | C  | 71 |
|                | 235/60R18   | 107HXL   | BLK                  | 7.0 | 8.5 | 10.8  | 240      | 739            | 300/44               | C  | C  | 71 |
|                | 235/65R18   | 110HXL   | BLK                  | 7.0 | 8.2 | 10.5  | 240      | 763            | 340/50               | C  | C  | 71 |
|                | 245/60R18   | 105H     | BLK                  | 7.0 | 8.2 | 10.5  | 248      | 751            | 300/44               | C  | C  | 71 |
| 16'            | 255/70R18   | 113H     | BLK                  | 7.0 | 8.2 | 10.5  | 260      | 815            | 300/44               | C  | C  | 71 |
|                | 265/60R18   | 110H     | BLK                  | 8.0 | 8.5 | 10.8  | 272      | 775            | 300/44               | C  | C  | 71 |
|                | 275/60R18   | 113H     | BLK                  | 8.0 | 8.3 | 10.7  | 279      | 787            | 300/44               | C  | C  | 71 |
|                | 275/65R18   | 116H     | BLK                  | 8.0 | 8.2 | 10.5  | 279      | 815            | 300/44               | C  | C  | 71 |
| 17'            | 285/60R18   | 116H     | BLK                  | 8.5 | 8.5 | 10.8  | 290      | 802            | 300/44               | C  | C  | 72 |
|                | LT225/75R16 | 115/112S | —                    | 6.0 | 8.3 | 10.7  | 223      | 744            | 550/80               | —  | —  | —  |
|                | LT235/85R16 | 120/116S | —                    | 6.0 | 8.3 | 10.7  | 235      | 806            | 550/80               | —  | —  | —  |
|                | LT245/75R16 | 120/116S | —                    | 7.0 | 8.3 | 10.7  | 248      | 774            | 550/80               | —  | —  | —  |
| 17'            | LT265/75R16 | 123/120S | —                    | 7.0 | 8.3 | 10.7  | 267      | 804            | 550/80               | —  | —  | —  |
|                | LT245/75R17 | 121/118S | —                    | 7.0 | 8.3 | 10.7  | 248      | 800            | 550/80               | —  | —  | —  |
| 17'            | LT265/70R17 | 121/118S | —                    | 8.0 | 8.3 | 10.7  | 272      | 804            | 550/80               | —  | —  | —  |





**A/T M/T**



**POWER  
LANDER A/T**




**POWER  
ROVER M/T**



**POWER  
ROVER M/T II**



# POWER LANDER A/T



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 15 - 20 |
| SERIES       | 55 - 85 |
| SPEED RATING | R - T   |

Four main zigzag grooves and rough lateral blocks provide excellent traction on all kinds of road conditions.

The block tread design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition.





The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. The white letter styling provide a artistic image.

Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.

| Wheel Diameter | Size          | Index    | Sidewall Description | RIM | MM   | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|---------------|----------|----------------------|-----|------|-------|----------|----------------|----------------------|----|----|----|
| 15'            | P205/75R15    | 97T      | OWL                  | 5.0 | 8.2  | 10.5  | 203      | 689            | 300/44               | E  | B  | 71 |
|                | P215/75R15    | 100T     | OWL                  | 6.0 | 8.2  | 10.5  | 216      | 703            | 300/44               | E  | B  | 71 |
|                | P225/75R15    | 102T     | OWL                  | 6.0 | 8.2  | 10.5  | 223      | 719            | 300/44               | E  | B  | 71 |
|                | P235/75R15    | 109SXL   | OWL                  | 6.5 | 9.0  | 11.4  | 235      | 733            | 340/50               | E  | B  | 72 |
|                | P265/70R15    | 112T     | OWL                  | 8.0 | 9.2  | 11.8  | 272      | 753            | 300/44               | E  | B  | 72 |
| 16'            | P215/70R16    | 99T      | BLK                  | 6.5 | 9.0  | 11.4  | 221      | 768            | 300/44               | C  | C  | 72 |
|                | P215/70R16    | 100T     | BLK                  | 6.5 | 9.0  | 11.4  | 221      | 768            | 300/44               | E  | B  | 71 |
|                | P225/70R16    | 101T     | OWL                  | 6.5 | 9.0  | 11.4  | 228      | 722            | 300/44               | E  | B  | 71 |
|                | P225/70R16    | 103T     | BSW                  | 6.5 | 8.5  | 11.0  | 228      | 722            | 300/44               | E  | B  | 71 |
|                | P235/70R16    | 104T     | OWL                  | 7.0 | 9.0  | 11.4  | 240      | 736            | 300/44               | E  | B  | 71 |
|                | P235/70R16    | 106T     | OWL                  | 7.0 | 9.0  | 11.4  | 240      | 736            | 300/44               | E  | B  | 71 |
|                | P245/70R16    | 106T     | OWL                  | 7.0 | 9.0  | 11.4  | 248      | 750            | 300/44               | E  | B  | 71 |
|                | P245/70R16    | 107T     | OWL                  | 7.0 | 9.0  | 11.4  | 248      | 750            | 300/44               | E  | B  | 71 |
|                | P245/70R16    | 111SXL   | BSW                  | 7.0 | 9.0  | 11.0  | 248      | 750            | 340/50               | E  | B  | 71 |
|                | P255/70R16    | 109T     | OWL                  | 7.0 | 9.2  | 11.8  | 260      | 764            | 300/44               | E  | B  | 72 |
| 17'            | P255/70R16    | 111T     | OWL                  | 7.5 | 9.5  | 12.0  | 260      | 764            | 300/44               | E  | B  | 72 |
|                | P265/70R16    | 111T     | OWL                  | 8.0 | 9.5  | 12.0  | 272      | 778            | 300/44               | E  | B  | 72 |
|                | P265/70R16    | 112T     | OWL                  | 8.0 | 9.5  | 12.0  | 272      | 778            | 300/44               | C  | C  | 72 |
|                | P275/70R16    | 114T     | OWL                  | 8.0 | 9.5  | 12.0  | 279      | 792            | 300/44               | E  | B  | 72 |
|                | P235/65R17    | 104T     | BSW                  | 7.0 | 8.8  | 11.3  | 240      | 738            | 300/44               | E  | B  | 72 |
|                | P245/65R17    | 107T     | BSW                  | 7.0 | 8.8  | 11.1  | 248      | 750            | 300/44               | E  | B  | 72 |
|                | P255/65R17    | 110T     | OWL                  | 7.5 | 9.5  | 12.0  | 259      | 762            | 300/44               | E  | B  | 71 |
|                | P265/65R17    | 110T     | OWL                  | 7.5 | 9.5  | 12.0  | 272      | 776            | 300/44               | E  | B  | 71 |
|                | P265/65R17    | 112T     | OWL                  | 7.5 | 9.5  | 12.0  | 272      | 776            | 300/44               | E  | B  | 72 |
|                | P265/70R17    | 113T     | OWL                  | 8.0 | 9.5  | 12.0  | 272      | 804            | 300/44               | E  | B  | 72 |
| 15'            | P265/70R17    | 115T     | OWL                  | 8.0 | 9.5  | 12.0  | 272      | 804            | 300/44               | E  | B  | 72 |
|                | P275/65R17    | 115T     | OWL                  | 8.0 | 9.5  | 12.0  | 279      | 791            | 300/44               | E  | B  | 72 |
|                | LT235/75R15   | 104/101S | OWL                  | 6.5 | 11.5 | 14.4  | 233      | 733            | 350/51               | E  | B  | 72 |
|                | 31X10.50R15LT | 109S     | OWL                  | 8.5 | 11.5 | 14.4  | 268      | 775            | 350/51               | E  | B  | 72 |
|                | 215/70R15C    | 109/107R | BSW                  | 6.0 | 8.2  | 10.5  | 221      | 683            | 450/65               | C  | C  | 72 |
| 16'            | 215R15C       | 112/110S | BLK                  | 6.0 | 9.0  | 11.0  | 218      | 724            | 450/65               | E  | C  | 72 |
|                | 245/75R15C    | 109/107S | BLK                  | 7.0 | 11.5 | 14.0  | 248      | 749            | 375/55               | C  | C  | 72 |
|                | 255/70R15C    | 112/110S | BLK                  | 8.0 | 12.0 | 16.0  | 270      | 810            | 550/80               | C  | C  | 72 |
|                | LT215/85R16   | 115/112S | OWL                  | 6.0 | 11.5 | 14.4  | 216      | 772            | 550/80               | C  | C  | 72 |
|                | LT225/75R16   | 115/112S | OWL                  | 6.0 | 11.5 | 14.4  | 223      | 744            | 550/80               | C  | C  | 72 |
|                | LT235/85R16   | 120/116S | BLK                  | 6.5 | 12.0 | 15.0  | 235      | 806            | 550/80               | C  | C  | 72 |
|                | LT245/75R16   | 120/116S | OWL                  | 7.0 | 11.5 | 14.4  | 248      | 774            | 550/80               | C  | C  | 72 |
|                | LT265/75R16   | 123/120S | OWL                  | 7.5 | 12.0 | 15.0  | 267      | 804            | 550/80               | —  | —  | —  |
|                | LT285/75R16   | 122/119S | OWL                  | 8.0 | 12.0 | 15.0  | 286      | 834            | 450/65               | —  | —  | —  |
|                | 205R16C       | 110/108S | BLK                  | 5.5 | 11.5 | 14.4  | 200      | 738            | 375/55               | C  | C  | 72 |
| 17'            | 185/75R16C    | 104/102S | BLK                  | 5.0 | 9.0  | 11.4  | 184      | 684            | 475/69               | C  | C  | 72 |
|                | LT245/75R17   | 121/118S | OWL                  | 7.0 | 12.0 | 15.0  | 248      | 800            | 550/80               | C  | C  | 72 |
|                | LT265/70R17   | 121/118S | OWL                  | 8.0 | 12.0 | 15.0  | 272      | 804            | 550/80               | C  | C  | 72 |
| 18'            | LT275/65R18   | 123/120S | BLK                  | 8.0 | 11.5 | 16.0  | 279      | 815            | 550/80               | —  | —  | —  |
|                | LT275/70R18   | 125/122S | BLK                  | 8.0 | 11.5 | 16.0  | 279      | 843            | 550/80               | —  | —  | —  |
| 20'            | P275/55R20    | 117TXL   | BLK                  | 8.5 | 11.5 | 16.0  | 284      | 810            | 340/50               | E  | B  | 73 |
|                | P275/60R20    | 119TXL   | BLK                  | 8.0 | 11.5 | 16.0  | 279      | 838            | 340/50               | E  | B  | 73 |



# POWER ROVER M/T



Three main zigzag grooves and aggressive pattern design provide outstanding traction on all kinds of road conditions.

The blocks read design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition. Special casing profile and solid shoulder pattern enhance the max traction and cornering performance.



High void ratio and open shoulder offer excellent resistance to aquaplaning and self-cleaning performance.


Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.

| Wheel Diameter | Size          | Index    | Sidewall Description | RIM  | MM   | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | POR |
|----------------|---------------|----------|----------------------|------|------|-------|----------|----------------|----------------------|-----|
| 15'            | 31x10.50R15LT | 109Q     | RBL                  | 8.5  | 13.5 | 16.8  | 268      | 775            | 350/51               | POR |
|                | 33x12.50R15LT | 108Q     | RBL                  | 10.0 | 13.5 | 16.8  | 320      | 838            | 350/51               | POR |
|                | 35x12.50R15LT | 113Q     | RBL                  | 10.0 | 14.5 | 18.2  | 326      | 890            | 350/51               | POR |
| 16'            | LT235/85R16   | 120/116Q | RBL                  | 6.5  | 13.5 | 16.8  | 235      | 806            | 550/80               | POR |
|                | LT245/75R16   | 120/116Q | RBL                  | 7.0  | 13.5 | 16.8  | 248      | 771            | 550/80               | POR |
|                | LT265/75R16   | 123/120Q | RBL                  | 7.5  | 13.5 | 16.8  | 267      | 804            | 550/80               | —   |
|                | LT285/75R16   | 126/123Q | RBL                  | 8.0  | 13.5 | 16.8  | 286      | 834            | 550/80               | —   |
|                | LT305/70R16   | 124/121Q | BSW                  | 9.0  | 13.5 | 16.8  | 311      | 840            | 450/65               | —   |
|                | LT315/75R16   | 127/124Q | BSW                  | 8.5  | 13.5 | 16.8  | 313      | 884            | 450/65               | —   |
| 17'            | LT265/70R17   | 121/118Q | RBL                  | 8.0  | 13.5 | 16.8  | 272      | 804            | 550/80               | —   |
|                | LT285/70R17   | 126/123Q | RBL                  | 8.5  | 13.5 | 16.8  | 284      | 831            | 550/80               | POR |
|                | LT33x12.50R17 | 114Q     | BSW                  | 10.0 | 13.5 | 16.8  | 318      | 832            | 350/50               | —   |
|                | 35x12.50R17LT | 121Q     | BSW                  | 10.0 | 13.2 | 16.6  | 318      | 883            | 450/65               | POR |
| 18'            | 37x12.50R17LT | 124Q     | BSW                  | 10.0 | 13.2 | 16.6  | 318      | 934            | 350/50               | —   |
|                | 33x12.50R18LT | 118Q     | BSW                  | 10.0 | 13.2 | 16.6  | 318      | 832            | 450/65               | POR |
|                | 35x12.50R18LT | 123Q     | BSW                  | 10.0 | 13.2 | 16.6  | 318      | 883            | 450/65               | POR |

M/T



# POWER ROVER M/T II



| Wheel Diameter | Size          | Index | Sidewall Description | RIM  | MM   | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi |
|----------------|---------------|-------|----------------------|------|------|-------|----------|----------------|----------------------|
| 20'            | 33×12.50R20LT | 114Q  | BSW                  | 15.0 | 14.2 | 17.9  | 318      | 826            | 450/65               |
|                | 35×12.50R20LT | 121Q  | BSW                  | 15.0 | 14.2 | 17.9  | 318      | 877            | 450/66               |
| 22'            | 35×12.50R22LT | 117Q  | BSW                  | 16.8 | 14.2 | 17.9  | 318      | 877            | 450/67               |
|                | 37×12.50R22LT | 123Q  | BSW                  | 16.8 | 14.2 | 17.9  | 318      | 928            | 450/68               |

M/T

Three main zigzag grooves and aggressive pattern design provide outstanding traction on all kinds of road conditions.

The blocks read design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition. Special casing profile and solid shoulder pattern enhance the max traction and cornering performance.



High void ratio and open shoulder offer excellent resistance to aquaplaning and self-cleaning performance.

Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.



**VAN**





**VANTOUR**



**LOADKING**



# VANTOUR



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 12 - 16 |
| SPEED RATING | Q - T   |

Three main zigzag grooves combined with lateral blocks provide excellent ride stability and great traction on all kinds of road conditions.

Variable pitch patterns and multi-knife-cut tread pattern reduce vibration to offer the comfort and quiet ride.



Continuous tread patterns on shoulder and solid shoulder ribs provide responsive handling and even wear.

Reinforced structure and special abrasion-resistant tread compound deliver extra puncture resistance and load bearing capability with more mileage.

| Wheel Diameter | Size       | Index        | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|--------------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 12'            | 145R12C    | 86/84Q       | BSW                  | 4.0 | 7.0 | 9.0   | 147      | 542            | 450/65               | C  | B  | 72 |
|                | 155R12C    | 88/86Q-8PR   | BLK                  | 4.5 | 8.0 | 10.0  | 157      | 55             | 450/65               | C  | B  | 72 |
| 13'            | 155R13C    | 90/88Q-8PR   | BLK                  | 4.5 | 8.0 | 10.0  | 157      | 578            | 450/65               | C  | B  | 72 |
|                | 155R13C    | 85/83Q-6PR   | BSW                  | 4.5 | 7.8 | 10.0  | 157      | 578            | 350/50               | C  | B  | 72 |
|                | 165R13C    | 91/89R-6PR   | BSW                  | 4.5 | 7.8 | 10.0  | 167      | 596            | 375/55               | C  | B  | 72 |
|                | 165/70R13C | 88/86S-6PR   | BSW                  | 5.0 | 7.8 | 10.0  | 170      | 562            | 375/55               | C  | B  | 72 |
|                | 165/70R14C | 89/87R-6PR   | BLK                  | 5.0 | 8.0 | 10.0  | 170      | 588            | 375/55               | C  | B  | 72 |
| 14'            | 175/65R14C | 90/88T-6PR   | BLK                  | 5.0 | 8.4 | 11.0  | 177      | 584            | 375/55               | C  | B  | 72 |
|                | 175/70R14C | 95/93S-8PR   | BSW                  | 5.0 | 7.8 | 10.0  | 177      | 602            | 375/55               | C  | B  | 72 |
|                | 175R14C    | 99/98R-8PR   | BSW                  | 5.0 | 7.8 | 10.0  | 178      | 634            | 450/65               | C  | B  | 72 |
|                | 185R14C    | 102/100R     | BLK                  | 5.5 | 8.5 | 10.8  | 188      | 650            | 450/65               | C  | B  | 72 |
|                | 195R14C    | 106/104R     | BLK                  | 5.5 | 8.5 | 10.8  | 198      | 666            | 450/65               | C  | B  | 72 |
|                | 205R14C    | 109/107R-8PR | BSW                  | 3.0 | 8.2 | 10.5  | 208      | 686            | 450/65               | C  | B  | 72 |
|                | 195R15C    | 106/104R     | BLK                  | 5.5 | 8.5 | 10.8  | 198      | 693            | 450/65               | C  | B  | 72 |
|                | 195/70R15C | 104/102R     | BLK                  | 6.0 | 9.0 | 11.4  | 201      | 655            | 450/65               | C  | B  | 72 |
| 15'            | 205/70R15C | 106/104R     | BLK                  | 6.0 | 9.0 | 11.4  | 209      | 669            | 450/65               | C  | B  | 72 |
|                | 215/65R15C | 104/102R     | BLK                  | 6.5 | 8.8 | 11.0  | 221      | 661            | 375/55               | C  | B  | 72 |
|                | 215/70R15C | 109/107R     | BLK                  | 6.5 | 9.5 | 11.8  | 221      | 683            | 450/65               | C  | B  | 72 |
|                | 225/70R15C | 112/110R     | BLK                  | 6.5 | 9.5 | 11.8  | 228      | 697            | 450/65               | C  | B  | 72 |
|                | 175/75R16C | 101/99R      | BLK                  | 5.0 | 9.0 | 11.4  | 175      | 668            | 475/69               | C  | B  | 72 |
|                | 185/75R16C | 104/102R     | BLK                  | 5.0 | 9.0 | 11.4  | 184      | 684            | 475/69               | C  | B  | 72 |
|                | 195/65R16C | 104/102R     | BLK                  | 6.0 | 9.0 | 11.4  | 201      | 660            | 475/69               | C  | B  | 72 |
|                | 195/75R16C | 107/105R     | BLK                  | 5.5 | 9.0 | 11.4  | 196      | 698            | 475/69               | C  | B  | 72 |
| 16'            | 205/65R16C | 107/105T     | BLK                  | 6.0 | 9.0 | 11.4  | 209      | 672            | 475/69               | C  | B  | 72 |
|                | 205/75R16C | 110/108R     | BLK                  | 5.5 | 9.0 | 11.4  | 203      | 714            | 475/69               | C  | B  | 72 |
|                | 215/65R16C | 109/107T     | BLK                  | 6.5 | 9.5 | 11.8  | 221      | 664            | 475/69               | C  | B  | 72 |
|                | 215/75R16C | 113/111R     | BLK                  | 6.0 | 9.5 | 11.8  | 216      | 728            | 475/69               | C  | B  | 72 |
|                | 225/65R16C | 112/110T     | BLK                  | 6.5 | 9.5 | 11.8  | 228      | 698            | 475/69               | C  | B  | 72 |
|                | 235/65R16C | 115/113R     | BLK                  | 7.0 | 9.5 | 11.8  | 240      | 712            | 475/69               | C  | B  | 72 |



# LOADKING



Economical




Braking



Mileage

Performance test:



All-season tread design with long tread life.

Double steel belts plies and double full joint-less nylon cap plies improve handling stability and durability.



Double-ply casing construction handles heavy loads at highway speed and delivers outstanding durability.

Wide circumferential grooves helps to evacuate water quickly and efficiently.

| Wheel Diameter | Size       | Index    | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|----------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 16"            | 185/75R16C | 104/102R | BLK                  | 5.0 | 9.0 | 11.4  | 184      | 684            | 475/69               | C  | B  | 71 |
|                | 195/75R16C | 107/105R | BLK                  | 5.5 | 9.5 | 11.4  | 196      | 698            | 475/69               | C  | B  | 71 |

VAN





**White Sidewall**






**VANMARCH**



**ROADTOUR**



# VANMARCH



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 13 - 15 |
| SPEED RATING | R       |

Reinforced structure and special abrasion resistant tread compound deliver extra puncture resistance and load bearing capability with more mileage.

Continuous tread patterns on shoulder and solid shoulder ribs responsive handling and even wear.



Three main zigzag grooves combined with lateral blocks provide excellent ride stability and great traction on all kind of road conditions.


White sidewall rib shows extraordinary appearance.

| Wheel Diameter | Size       | Index      | Sidewall Description | RIM | MM  | 1/32" | Width MM | O.A.diameter MM | Max Pressure kPa/Psi |
|----------------|------------|------------|----------------------|-----|-----|-------|----------|-----------------|----------------------|
| 13'            | 155R13C    | 85/83R     | WSW                  | 4.5 | 8.0 | 10.0  | 157      | 578             | 350/51               |
|                | 155R13C    | 90/88R     | WSW                  | 4.5 | 8.0 | 10.0  | 157      | 578             | 450/65               |
|                | 165R13C    | 91/89R-6PR | BSW                  | 4.5 | 7.8 | 10.0  | 167      | 596             | 450/55               |
| 14'            | 185R14C    | 102/100R   | WSW                  | 5.5 | 8.5 | 10.8  | 188      | 650             | 450/65               |
|                | 195R14C    | 106/104R   | WSW                  | 5.5 | 8.5 | 10.8  | 198      | 666             | 450/65               |
|                | 205/75R14C | 109/107R   | WSW                  | 5.5 | 8.5 | 10.8  | 203      | 664             | 475/69               |
| 15'            | 185R15C    | 103/102R   | WSW                  | 5.5 | 8.5 | 10.8  | 188      | 674             | 450/65               |
|                | 195R15C    | 106/104R   | WSW                  | 5.5 | 8.5 | 10.8  | 198      | 693             | 450/65               |
|                | 205/75R15C | 109/107R   | WSW                  | 5.5 | 8.5 | 10.8  | 203      | 689             | 475/69               |

White  
Sidewall



# ROADTOUR



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 14 - 15 |
| SERIES       | 70 - 75 |
| SPEED RATING | S - T   |

Four main grooves provide good stability and wet performance.

Special tread compound, ensure tire performance stability in all kinds of weather conditions.



Reasonable pattern area, perfect collocation of every grooves.

White side wall rib shows extraordinary appearance.

| Wheel Diameter | Size       | Index | Sidewall Description | RIM | MM  | 1/32" | Width MM | O.A.diameter MM | Max Pressure kPa/Psi |
|----------------|------------|-------|----------------------|-----|-----|-------|----------|-----------------|----------------------|
| 14'            | P195/75R14 | 92S   | WSW                  | 5.0 | 8.5 | 10.8  | 196      | 648             | 300/44               |
|                | P205/75R14 | 95S   | WSW                  | 5.5 | 8.5 | 10.8  | 203      | 664             | 300/44               |
| 15'            | P205/70R15 | 95S   | WSW                  | 6.0 | 8.5 | 10.8  | 209      | 669             | 300/44               |
|                | P205/75R15 | 97T   | WSW                  | 5.5 | 8.5 | 10.8  | 203      | 689             | 300/44               |
|                | P215/75R15 | 100T  | WSW                  | 6.0 | 8.5 | 10.8  | 216      | 703             | 300/44               |
|                | P225/70R15 | 100T  | WSW                  | 6.5 | 8.5 | 10.8  | 228      | 697             | 300/44               |
|                | P225/75R15 | 102T  | WSW                  | 6.0 | 8.5 | 10.8  | 223      | 719             | 300/44               |
|                | P235/75R15 | 105S  | WSW                  | 6.5 | 8.5 | 10.8  | 235      | 733             | 300/44               |

White Sidewall



**4-SEASON**




**POWERMARCH A/S**






# POWERMARCH A/S



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 13 - 18 |
| SERIES       | 40 - 80 |
| SPEED RATING | T - Y   |




Tread formula takes the four seasons driving conditions and climate conditions into account, driving control performance is excellent and stable, unobstructed Four Seasons.

The corrugated steel sipes on the blocks reduce the rigidity of blocks and improve the comfort when driving.

| Wheel Diameter | Size       | Index     | Sidewall Description | RIM     | MM   | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|-----------|----------------------|---------|------|-------|----------|----------------|----------------------|----|----|----|
| 13'            | 155/65R13  | 73T       | BSW                  | 5.0     | 6.8  | 8.6   | 155      | 532            | 300/44               | E  | C  | 71 |
|                | 155/70R13  | 75T       | BSW                  | 5.0     | 6.8  | 8.6   | 155      | 548            | 300/44               | E  | C  | 71 |
|                | 155/80R13  | 79T       | BSW                  | 5.0     | 6.8  | 8.6   | 155      | 578            | 300/44               | E  | C  | 71 |
|                | 165/70R13  | 79T       | BSW                  | 5.0     | 6.8  | 8.6   | 165      | 562            | 300/44               | E  | C  | 71 |
|                | 175/65R13  | 80T       | BSW                  | 5.00B   | 7.6  | 9.6   | 177      | 558            | 300/44               | E  | C  | 71 |
| 14'            | 175/70R13  | 82T       | BSW                  | 5.00B   | 7.6  | 9.6   | 177      | 576            | 300/44               | E  | C  | 71 |
|                | 155/65R14  | 75H       | BSW                  | 5.0     | 6.8  | 8.6   | 155      | 558            | 300/44               | E  | C  | 71 |
|                | 165/60R14  | 75H       | BSW                  | 5.0     | 6.8  | 8.6   | 165      | 554            | 300/44               | E  | C  | 71 |
|                | 165/65R14  | 79H       | BSW                  | 5.0     | 6.8  | 8.6   | 165      | 570            | 300/44               | E  | C  | 71 |
|                | 165/70R14  | 81H       | BSW                  | 5.0     | 6.8  | 8.6   | 165      | 588            | 300/44               | E  | C  | 71 |
|                | 175/65R14  | 82H/86TXL | BSW                  | 5.0     | 7.3  | 9.2   | 175      | 584            | 340/50               | E  | C  | 71 |
|                | 175/70R14  | 84H/88TXL | BSW                  | 5.0     | 9.5  | 12.0  | 175      | 602            | 340/50               | E  | C  | 71 |
|                | 185/55R14  | 80H       | BSW                  | 6J      | 7.8  | 9.9   | 194      | 560            | 300/44               | E  | C  | 71 |
|                | 185/60R14  | 82H       | BSW                  | 5.0     | 10.0 | 12.6  | 185      | 578            | 300/44               | E  | C  | 71 |
|                | 185/65R14  | 86H       | BSW                  | 5.0     | 7.3  | 9.2   | 185      | 596            | 300/44               | E  | C  | 71 |
| 15'            | 185/70R14  | 88H       | BSW                  | 5 1/2J  | 7.8  | 9.9   | 189      | 616            | 300/44               | E  | C  | 71 |
|                | 175/55R15  | 77H       | BSW                  | 5.0     | 9.5  | 12.0  | 175      | 573            | 300/44               | E  | C  | 71 |
|                | 175/60R15  | 81H       | BSW                  | 5.0     | 9.5  | 12.0  | 175      | 591            | 300/44               | E  | C  | 71 |
|                | 175/65R15  | 84H/88TXL | BSW                  | 5.0-6.0 | 11.0 | 13.9  | 175      | 609            | 300/44               | E  | C  | 71 |
|                | 185/55R15  | 82V       | BSW                  | 5.0-6.5 | 11.0 | 13.9  | 185      | 585            | 300/44               | E  | C  | 71 |
|                | 185/60R15  | 84H/88HXL | BSW                  | 5.0-6.5 | 11.0 | 13.9  | 185      | 603            | 340/50               | E  | C  | 71 |
|                | 185/65R15  | 88H/92TXL | BSW                  | 5.0-6.5 | 11.0 | 13.9  | 185      | 621            | 340/50               | E  | C  | 71 |
|                | 195/50R15  | 82V       | BSW                  | 6.0     | 9.5  | 12.0  | 195      | 577            | 300/44               | E  | C  | 72 |
|                | 195/55R15  | 85V       | BSW                  | 6.0     | 9.0  | 11.3  | 195      | 595            | 300/44               | E  | C  | 72 |
|                | 195/60R15  | 88H       | BSW                  | 5.5-7.0 | 11.0 | 13.9  | 195      | 615            | 300/44               | E  | C  | 72 |
| 16'            | 195/65R15  | 91H/95HXL | BSW                  | 5.5-7.0 | 11.0 | 13.9  | 195      | 635            | 300/44               | E  | C  | 72 |
|                | 205/65R15  | 94V       | BSW                  | 6J      | 7.8  | 9.9   | 209      | 647            | 300/44               | E  | C  | 72 |
|                | 215/65R15  | 96H       | BSW                  | 6 1/2J  | 7.8  | 9.9   | 221      | 661            | 300/44               | E  | C  | 72 |
|                | 195/55R16  | 91VXL     | BSW                  | 6.0     | 9.0  | 11.3  | 195      | 620            | 340/50               | E  | C  | 72 |
|                | 205/55R16  | 94VXL     | BSW                  | 6.5     | 7.5  | 9.4   | 205      | 632            | 340/50               | E  | C  | 72 |
|                | 205/60R16  | 96HXL     | BSW                  | 6.0     | 9.5  | 12.0  | 205      | 652            | 340/50               | E  | C  | 72 |
|                | 215/55R16  | 97VXL     | BSW                  | 6.5     | 10.0 | 12.6  | 215      | 642            | 340/50               | E  | C  | 72 |
|                | 215/60R16  | 99HXL     | BSW                  | 6.5     | 6.5  | 8.2   | 215      | 664            | 340/50               | E  | C  | 72 |
|                | 215/65R16  | 102HXL    | BSW                  | 6.5     | 11.5 | 14.5  | 215      | 686            | 340/50               | E  | C  | 72 |
|                | 195/45R16  | 84V XL    | BSW                  | 6 1/2J  | 7.8  | 9.9   | 195      | 582            | 340/50               | E  | C  | 72 |
| 17'            | 195/50R16  | 88V XL    | BSW                  | 6J      | 7.8  | 9.9   | 201      | 602            | 340/50               | E  | C  | 72 |
|                | 205/45R16  | 87W XL    | BSW                  | 7J      | 7.8  | 9.9   | 206      | 590            | 340/50               | E  | C  | 72 |
|                | 215/45R16  | 90VXL     | BSW                  | 7J      | 7.8  | 9.9   | 213      | 600            | 340/50               | E  | C  | 72 |
|                | 215/70R16  | 100H      | BSW                  | 6 1/2J  | 7.8  | 9.9   | 221      | 708            | 300/44               | E  | C  | 72 |
|                | 225/55R16  | 99W XL    | BSW                  | 7J      | 7.8  | 9.9   | 233      | 654            | 340/50               | E  | C  | 72 |
|                | 205/45R17  | 88W XL    | BSW                  | 7J      | 7.8  | 9.9   | 206      | 616            | 340/50               | E  | C  | 72 |
|                | 205/50R17  | 93W XL    | BSW                  | 6 1/2J  | 7.8  | 9.9   | 214      | 638            | 340/50               | E  | C  | 72 |
|                | 215/45R17  | 91W XL    | BSW                  | 7J      | 7.8  | 9.9   | 213      | 626            | 340/50               | E  | C  | 72 |
|                | 215/50R17  | 95W XL    | BSW                  | 7J      | 7.8  | 9.9   | 226      | 648            | 340/50               | E  | C  | 72 |
|                | 215/55R17  | 98W XL    | BSW                  | 7J      | 7.8  | 9.9   | 226      | 668            | 340/50               | E  | C  | 72 |
| 18'            | 215/60R17  | 100V XL   | BSW                  | 6 1/2J  | 7.8  | 9.9   | 221      | 690            | 340/50               | E  | C  | 72 |
|                | 225/45R17  | 94WXL     | BSW                  | 8.0     | 9.5  | 12.0  | 225      | 634            | 340/50               | E  | C  | 72 |
|                | 225/50R17  | 98WXL     | BSW                  | 7.0     | 7.2  | 9.1   | 225      | 658            | 340/50               | E  | C  | 72 |
|                | 225/55R17  | 101W XL   | BSW                  | 7J      | 7.8  | 9.9   | 233      | 680            | 340/50               | E  | C  | 72 |
|                | 225/60R17  | 103V XL   | BSW                  | 6 1/2J  | 7.8  | 9.9   | 228      | 702            | 340/50               | E  | C  | 72 |
|                | 225/65R17  | 106V XL   | BSW                  | 6 1/2J  | 7.8  | 9.9   | 228      | 724            | 340/50               | E  | C  | 72 |
|                | 235/45R17  | 97W XL    | BSW                  | 8J      | 7.8  | 9.9   | 236      | 644            | 340/50               | E  | C  | 72 |
|                | 235/55R17  | 103W XL   | BSW                  | 7 1/2J  | 7.8  | 9.9   | 245      | 690            | 340/50               | E  | C  | 72 |
|                | 235/65R17  | 108V XL   | BSW                  | 7J      | 7.8  | 9.9   | 240      | 738            | 340/50               | E  | C  | 72 |
|                | 225/40ZR18 | 92Y XL    | BSW                  | 8J      | 7.8  | 9.9   | 230      | 637            | 340/50               | E  | C  | 72 |
| 18'            | 225/45R18  | 95W XL    | BSW                  | 7 1/2J  | 7.8  | 9.9   | 225      | 659            | 340/50               | E  | C  | 72 |
|                | 225/55R18  | 102V XL   | BSW                  | 7J      | 7.8  | 9.9   | 233      | 680            | 340/50               | E  | C  | 72 |
|                | 235/50R18  | 101W XL   | BSW                  | 7 1/2J  | 7.8  | 9.9   | 245      | 693            | 340/50               | E  | C  | 72 |
|                | 245/40ZR18 | 97Y XL    | BSW                  | 8 1/2J  | 7.8  | 9.9   | 248      | 653            | 340/50               | E  | C  | 72 |
| 18'            | 245/45ZR18 | 100Y XL   | BSW                  | 8J      | 7.8  | 9.9   | 243      | 677            | 340/50               | E  | C  | 72 |





**SNOW**



**SNOWTOUR**

**SNOW STAR**

**SNOWMARCH**





**SNOWMARCH  
STUD**



**Ice X pro**



# SNOWTOUR



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 13 - 20 |
| SERIES       | 55 - 75 |
| SPEED RATING | R - H   |

Central straight & Z wide Zig-Zag circumferential grooves, with the design of convexes in the bottom, improve the traction, shorten braking distance and increase the stability on the snow road.

Bionic tread pattern design makes whole tread blocks' s tiffness more with the optimized deployment of "Z" shape sipes, provide great grip on snow & ice conditions.




Wide rolling tread, by using computer-optimized design, makes sure enough contact area for more grip. The wide open shoulder grooves prevent aquaplaning with enhanced wet grip and provide excellent water & snow evacuation.

Special tread compound remains flexible at lower temperatures to make sure the grip on winter road conditions, while reduce the rolling resistance.

| Wheel Diameter | Size        | Index    | Sidewall Description | RIM    | MM   | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-------------|----------|----------------------|--------|------|-------|----------|----------------|----------------------|----|----|----|
| 13'            | 175/70R13   | 82T      | BLK                  | 5.0    | 8.0  | 10.0  | 177      | 576            | 300/44               | E  | C  | 71 |
|                | 155/65R14   | 75T      | BLK                  | 4.5    | 8.0  | 10.0  | 154      | 557            | 300/44               | E  | C  | 71 |
|                | 165/60R14   | 75T      | BLK                  | 5.0    | 8.0  | 10.0  | 170      | 554            | 300/44               | E  | C  | 71 |
|                | 165/65R14   | 79T      | BLK                  | 5.0    | 8.0  | 10.0  | 170      | 570            | 300/44               | E  | C  | 71 |
|                | 165/70R14   | 85TXL    | BLK                  | 5.0    | 8.0  | 10.0  | 170      | 588            | 340/50               | E  | C  | 71 |
| 14'            | 175/65R14   | 82T      | BLK                  | 5.0    | 8.0  | 10.0  | 177      | 584            | 300/44               | E  | C  | 71 |
|                | 175/70R14   | 88TXL    | BLK                  | 5.0    | 8.0  | 10.0  | 177      | 602            | 340/50               | E  | C  | 71 |
|                | 185/60R14   | 82T      | BLK                  | 5.5    | 8.0  | 10.0  | 189      | 578            | 300/44               | E  | C  | 71 |
|                | 185/65R14   | 86T      | BLK                  | 5.5    | 8.0  | 10.0  | 189      | 609            | 300/44               | E  | C  | 71 |
|                | 185/70R14   | 92TXL    | BLK                  | 5.5    | 8.0  | 10.0  | 189      | 616            | 340/50               | E  | C  | 71 |
| 15'            | 195/70R14   | 95TXL    | BLK                  | 6.0    | 8.0  | 10.0  | 201      | 630            | 340/50               | E  | C  | 72 |
|                | 175/65R15   | 84T      | BLK                  | 5.0    | 8.5  | 11.0  | 177      | 609            | 300/44               | E  | C  | 71 |
|                | 185/55R15   | 82H      | BLK                  | 6.0    | 8.5  | 11.0  | 194      | 585            | 300/44               | E  | C  | 71 |
|                | 185/60R15   | 88HXL    | BLK                  | 5.5    | 8.0  | 10.0  | 189      | 603            | 340/50               | E  | C  | 71 |
|                | 185/65R15   | 88H      | BLK                  | 5.5    | 8.0  | 10.0  | 189      | 621            | 300/44               | E  | C  | 71 |
| 16'            | 195/60R15   | 88H      | BLK                  | 6.0    | 8.5  | 10.8  | 201      | 615            | 300/44               | E  | C  | 72 |
|                | 195/65R15   | 95TXL    | BSW                  | 6J     | 8.3  | 10.0  | 201      | 635            | 340/50               | E  | C  | 72 |
|                | 205/65R15   | 94H      | BLK                  | 6.0    | 8.5  | 10.8  | 209      | 647            | 300/44               | E  | C  | 72 |
|                | 215/70R15   | 98T      | BLK                  | 6.5    | 8.5  | 10.8  | 221      | 683            | 300/44               | E  | C  | 72 |
|                | 205/55R16   | 91H      | BLK                  | 6.5    | 8.5  | 10.8  | 214      | 632            | 300/44               | E  | C  | 72 |
| 17'            | 205/60R16   | 96HXL    | BLK                  | 6.0    | 8.5  | 10.8  | 209      | 652            | 340/50               | E  | C  | 72 |
|                | 215/60R16   | 99HXL    | BLK                  | 6.5    | 8.5  | 10.8  | 221      | 664            | 340/50               | E  | C  | 72 |
|                | 215/65R16   | 98H      | BLK                  | 6.5    | 8.5  | 10.8  | 221      | 686            | 300/44               | E  | C  | 72 |
|                | 215/70R16   | 100T     | BLK                  | 6.5    | 8.5  | 10.8  | 217      | 708            | 300/44               | E  | C  | 72 |
|                | 225/60R16   | 98H      | BLK                  | 6.5    | 8.5  | 10.8  | 228      | 676            | 300/44               | E  | C  | 72 |
| 18'            | 225/65R16   | 100H     | BLK                  | 6.5    | 8.5  | 11.0  | 228      | 689            | 300/44               | E  | C  | 72 |
|                | 225/70R16   | 107TXL   | BLK                  | 6.5    | 8.5  | 11.4  | 228      | 722            | 300/44               | E  | C  | 72 |
|                | 235/65R16   | 103H     | BLK                  | 7.0    | 8.5  | 13.0  | 240      | 712            | 300/44               | E  | C  | 72 |
|                | 235/70R16   | 106T     | BLK                  | 7.0    | 9.0  | 11.4  | 240      | 736            | 300/44               | E  | C  | 72 |
|                | 245/70R16   | 111TXL   | BLK                  | 7.0    | 9.0  | 11.4  | 248      | 750            | 340/50               | E  | C  | 72 |
| 19'            | 265/70R16   | 112T     | BLK                  | 8.0    | 9.0  | 11.4  | 272      | 778            | 300/44               | E  | C  | 73 |
|                | 215/60R17   | 96H      | BLK                  | 6.5    | 9.0  | 11.4  | 221      | 690            | 300/44               | E  | C  | 72 |
|                | 215/65R17   | 99H      | BLK                  | 6.5    | 9.0  | 11.4  | 221      | 710            | 300/44               | E  | C  | 72 |
|                | 225/60R17   | 99H      | BLK                  | 6.5    | 9.0  | 11.4  | 228      | 702            | 300/44               | E  | C  | 72 |
|                | 225/65R17   | 102T     | BLK                  | 6.5    | 9.0  | 11.0  | 228      | 724            | 300/44               | E  | C  | 72 |
| 20'            | 235/65R17   | 108TXL   | BLK                  | 7.0    | 9.0  | 11.4  | 240      | 738            | 340/50               | E  | C  | 72 |
|                | 245/65R17   | 111TXL   | BLK                  | 7.0    | 9.0  | 11.4  | 248      | 750            | 340/50               | E  | C  | 72 |
|                | 265/65R17   | 112T     | BLK                  | 8.0    | 9.0  | 11.4  | 272      | 776            | 300/44               | E  | C  | 73 |
|                | 265/70R17   | 115T     | BLK                  | 8.0    | 9.0  | 14.4  | 272      | 804            | 300/44               | E  | C  | 73 |
|                | 275/55R20   | 117HXL   | BSW                  | 8 1/2J | 8.5  | 12.6  | 204      | 810            | 340/50               | E  | C  | 73 |
| 21'            | 275/60R20   | 119HXL   | BSW                  | 8J     | 8.5  | 10.7  | 279      | 838            | 340/50               | —  | —  | —  |
|                | 195/70R15C  | 104/102R | BLK                  | 6.0    | 9.5  | 12.0  | 201      | 655            | 450/65               | C  | C  | 73 |
|                | 215/70R15C  | 109/107R | BLK                  | 6.5    | 10.0 | 12.0  | 221      | 683            | 450/65               | C  | C  | 73 |
|                | 215/65R15C  | 104/102R | BLK                  | 6.5    | 9.5  | 12.0  | 221      | 661            | 375/55               | C  | C  | 73 |
|                | 225/70R15C  | 112/110R | BSW                  | 6 1/2J | 9.2  | 11.6  | 228      | 697            | 450/65               | —  | —  | —  |
| 22'            | 215/75R16C  | 113/111R | BLK                  | 6.0    | 9.5  | 12.0  | 216      | 728            | 475/69               | C  | C  | 73 |
|                | 225/70R15C  | 112/110R | BLK                  | 6.5    | 10.0 | 12.6  | 228      | 697            | 450/65               | C  | C  | 73 |
|                | 185/75R16C  | 104/102R | BLK                  | 5.0    | 9.5  | 12.0  | 184      | 684            | 475/69               | C  | C  | 73 |
|                | 195/65R16C  | 104/102R | BLK                  | 6.0    | 9.5  | 12.0  | 201      | 660            | 475/69               | C  | C  | 73 |
|                | 195/75R16C  | 107/105R | BLK                  | 5.5    | 9.5  | 12.0  | 196      | 698            | 475/69               | C  | C  | 73 |
| 23'            | 205/65R16C  | 107/105R | BLK                  | 6.0    | 9.5  | 12.0  | 209      | 672            | 475/69               | C  | C  | 73 |
|                | 215/65R16C  | 109/107R | BLK                  | 6.5    | 10.0 | 12.6  | 221      | 686            | 475/69               | C  | C  | 73 |
|                | 225/65R16C  | 112/110R | BLK                  | 6.5    | 10.0 | 12.6  | 228      | 698            | 475/69               | C  | C  | 73 |
|                | 235/65R16C  | 115/113R | BLK                  | 7.0    | 10.0 | 11.4  | 240      | 712            | 475/69               | C  | C  | 73 |
|                | LT225/75R16 | 115/112S | BLK                  | 6.0    | 11.5 | 14.4  | 223      | 744            | 550/80               | C  | C  | 73 |
| 24'            | LT245/75R16 | 120/116S | BLK                  | 7.0    | 11.5 | 12.6  | 248      | 774            | 550/80               | C  | C  | 73 |
|                | LT245/70R17 | 119/116S | BSW                  | 7J     | 10.7 | 13.4  | 248      | 776            | 550/80               | —  | —  | —  |
|                | LT265/70R17 | 121/118S | BSW                  | 8J     | 10.7 | 13.4  | 272      | 804            | 550/80               | —  | —  | —  |
|                | LT275/65R18 | 123/120S | BSW                  | 8J     | 10.7 | 13.4  | 279      | 815            | 550/80               | —  | —  | —  |
|                | LT275/70R18 | 125/122S | BSW                  | 8J     | 10.7 | 13.4  | 279      | 843            | 550/80               | —  | —  | —  |



# SNOW STAR



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 13 - 20 |
| SERIES       | 40 - 70 |
| SPEED RATING | T - H   |

Four wide circumferential tread grooves and lateral grooves with fine sipes provide efficient water evacuation, outstanding wet performance. The optimized deployment of "Z" shape sipes, provide great grip on snow & ice conditions.

Continuous outside tread blocks enhance excellent performance and precise control when cornering at high speed. The special rib segment design optimize contact pressure distribution, improve road contact area and provide precise control. The serrated groove walls absorb noise and deliver a quieter ride.




Continuous block patterns on shoulder enhance the ride stability at high speed cornering. The rim protector will protect wheels from curb damage.

Special tread compound remains flexible at lower temperatures to make sure the grip on winter road conditions and reduce the rolling resistance.

| Wheel Diameter | Size      | Index  | Sidewall Description | RIM    | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-----------|--------|----------------------|--------|-----|-------|----------|----------------|----------------------|----|----|----|
| 13'            | 165/70R13 | 79T    | BSW                  | 5      | 7.8 | 9.8   | 170      | 562            | 300/44               | E  | E  | 71 |
| 14'            | 185/60R14 | 82T    | BSW                  | 5.5    | 8.3 | 10.5  | 189      | 578            | 300/44               | E  | E  | 71 |
| 15'            | 195/50R15 | 82H    | BLK                  | 6.0    | 8.5 | 10.8  | 201      | 577            | 300/44               | E  | E  | 72 |
|                | 195/55R15 | 85H    | BLK                  | 6.0    | 8.5 | 10.8  | 201      | 596            | 300/44               | E  | E  | 72 |
|                | 195/60R15 | 88H    | BLK                  | 6.0    | 8.5 | 10.8  | 201      | 615            | 300/44               | E  | E  | 72 |
|                | 195/65R15 | 91H    | BLK                  | 6.0    | 8.5 | 10.8  | 201      | 635            | 300/44               | E  | E  | 72 |
|                | 195/65R15 | 91T    | BSW                  | 6      | 8.3 | 10.5  | 201      | 635            | 300/44               | E  | E  | 72 |
|                | 195/65R15 | 95TXL  | BSW                  | 6J     | 8.3 | -     | 201      | 635            | 340/50               | E  | E  | 72 |
| 16'            | 195/55R16 | 91HXL  | BLK                  | 6.0    | 8.5 | 10.8  | 190      | 619            | 340/50               | E  | E  | 72 |
|                | 205/55R16 | 91H    | BSW                  | 6.5    | 8.3 | 10.5  | 214      | 632            | 300/44               | E  | E  | 72 |
|                | 205/55R16 | 94HXL  | BLK                  | 6.5    | 8.5 | 10.8  | 214      | 632            | 340/50               | E  | E  | 72 |
|                | 215/55R16 | 97HXL  | BLK                  | 7.0    | 8.5 | 10.8  | 223      | 642            | 340/50               | E  | E  | 72 |
|                | 225/55R16 | 99HXL  | BLK                  | 7.0    | 8.5 | 10.8  | 233      | 680            | 340/50               | E  | E  | 72 |
|                | 205/45R17 | 88HXL  | BLK                  | 7.0    | 8.5 | 10.8  | 206      | 616            | 340/50               | —  | —  | —  |
| 17'            | 205/50R17 | 93HXL  | BLK                  | 6.5    | 8.5 | 10.8  | 214      | 638            | 340/50               | E  | E  | 72 |
|                | 215/45R17 | 91HXL  | BLK                  | 7.0    | 8.5 | 10.8  | 231      | 626            | 340/50               | —  | —  | —  |
|                | 215/50R17 | 95HXL  | BLK                  | 7.5    | 8.5 | 10.8  | 245      | 719            | 340/50               | E  | E  | 72 |
|                | 215/55R17 | 98HXL  | BLK                  | 7.0    | 8.5 | 10.8  | 226      | 668            | 340/50               | E  | E  | 72 |
|                | 225/45R17 | 94HXL  | BLK                  | 7.5    | 8.5 | 10.8  | 225      | 634            | 340/50               | E  | E  | 72 |
|                | 225/50R17 | 98HXL  | BLK                  | 8.0    | 8.5 | 10.8  | 265      | 739            | 340/50               | E  | E  | 72 |
| 18'            | 225/55R17 | 101HXL | BLK                  | 7.0    | 8.5 | 10.8  | 233      | 680            | 340/50               | E  | E  | 72 |
|                | 235/45R17 | 97HXL  | BLK                  | 7.5    | 8.5 | 10.8  | 236      | 644            | 340/50               | E  | E  | 72 |
|                | 235/55R17 | 103HXL | BLK                  | 7.5    | 8.5 | 10.8  | 245      | 690            | 340/50               | E  | E  | 72 |
|                | 225/40R18 | 92HXL  | BLK                  | 8.5    | 8.5 | 10.8  | 234      | 637            | 340/50               | E  | E  | 72 |
|                | 225/45R18 | 95HXL  | BSW                  | 7.5    | 8.2 | 10.4  | 225      | 659            | 340/50               | E  | E  | 72 |
|                | 245/45R18 | 100HXL | BLK                  | 8.0    | 8.5 | 10.8  | 243      | 677            | 340/50               | E  | E  | 72 |
| 19'            | 255/55R18 | 109HXL | BLK                  | 8.0    | 8.5 | 10.8  | 265      | 737            | 340/50               | E  | E  | 73 |
|                | 235/45R18 | 98HXL  | BSW                  | 8J     | 8.2 | 10.3  | 236      | 669            | 340/50               | E  | E  | 72 |
|                | 235/55R18 | 104HXL | BLK                  | 7.5    | 8.5 | 11.0  | 245      | 715            | 340/50               | E  | E  | 72 |
|                | 235/60R18 | 107HXL | BLK                  | 7.0    | 8.5 | 11.0  | 240      | 739            | 340/50               | E  | E  | 72 |
|                | 245/60R18 | 105H   | BLK                  | 7.0    | 8.5 | 11.0  | 248      | 751            | 340/50               | E  | E  | 72 |
|                | 235/55R19 | 105HXL | BSW                  | 7 1/2J | 8.2 | 10.3  | 245      | 741            | 300/44               | E  | E  | 72 |
| 20'            | 245/45R19 | 102HXL | BSW                  | 8J     | 8.2 | 10.3  | 243      | 703            | 340/50               | E  | E  | 72 |
|                | 255/50R19 | 107HXL | BLK                  | 8.0    | 8.5 | 11.0  | 265      | 739            | 340/50               | E  | E  | 73 |
|                | 255/55R19 | 111HXL | BLK                  | 8.0    | 8.5 | 11.0  | 265      | 763            | 340/50               | E  | E  | 73 |
|                | 275/40R20 | 106HXL | BLK                  | 9.5    | 8.5 | 11.0  | 278      | 728            | 340/50               | E  | E  | 73 |
|                | 275/45R20 | 110HXL | BLK                  | 9.0    | 8.5 | 11.0  | 273      | 756            | 340/50               | E  | E  | 73 |
|                | 275/55R20 | 117HXL | BSW                  | 8 1/2J | 8.5 | 11.0  | 284      | 810            | 340/50               | —  | —  | —  |



# SNOWMARCH



## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 12 - 21 |
| SERIES       | 45 - 75 |
| SPEED RATING | R - H   |

Two broad longitudinal plus two curved wide gutters, effectively improve the performance of the tire wetland drainage, to ensure the excellent handling performance on rain-snow road.

Asymmetric pattern design, the pattern block in the middle, effectively enhances the traction and safety performance on snow-ice road.




A new generation of tread pattern design, lower temperature tread formulation, softer than the previous generation of tread with Shao's hardness.

A large number of corrugated steel block on the pattern, maintains maneuverability when contacting the road, and sharp edges can significantly enhance the traction in slippery and ice road.

| Wheel Diameter | Size      | Index    | Sidewall Description | RIM | MM  | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-----------|----------|----------------------|-----|-----|-------|----------|----------------|----------------------|----|----|----|
| 12'            | 145/70R12 | 69T      | BLK                  | —   | 8.0 | 10.1  | 150      | 509            | 300/44               | E  | C  | 71 |
| 14'            | 175R14C   | 99/98R   | BLK                  | 5.0 | 8.5 | 10.7  | 175      | 634            | 450/65               | —  | —  | —  |
| 14'            | 185R14C   | 102/100R | BLK                  | 5.5 | 8.5 | 10.7  | 188      | 650            | 450/65               | —  | —  | —  |
| 15'            | 195/60R14 | 86H      | BLK                  | —   | 8.5 | 10.7  | 201      | 590            | 300/44               | E  | C  | 72 |
| 15'            | 215/75R15 | 100T     | BLK                  | 6.5 | 8.5 | 10.7  | 216      | 703            | 300/44               | E  | C  | 72 |
| 16'            | 195/60R16 | 89H      | BLK                  | 6.0 | 8.5 | 10.7  | 201      | 640            | 300/44               | E  | C  | 72 |
| 16'            | 205/55R16 | 91H      | BLK                  | 6.5 | 8.5 | 10.7  | 214      | 632            | 300/44               | E  | C  | 72 |
| 17'            | 225/55R17 | 101HXL   | BLK                  | 7.0 | 8.5 | 10.7  | 233      | 680            | 340/50               | E  | C  | 72 |
| 17'            | 225/65R17 | 102TL    | BLK                  | 6.5 | 8.5 | 10.7  | 228      | 724            | 300/44               | E  | C  | 72 |
| 18'            | 215/55R18 | 95H      | BLK                  | 7.0 | 8.5 | 10.7  | 226      | 693            | 300/44               | E  | C  | 72 |
| 18'            | 225/60R18 | 100H     | BLK                  | 6.5 | 8.5 | 10.7  | 228      | 727            | 300/44               | E  | C  | 72 |
| 18'            | 265/60R18 | 110T     | BLK                  | 8.0 | 8.5 | 10.7  | 272      | 775            | 300/44               | E  | C  | 73 |
| 18'            | 285/60R18 | 116T     | BLK                  | 8.5 | 8.5 | 10.7  | 292      | 799            | 300/44               | E  | C  | 73 |
| 19'            | 235/55R19 | 105HXL   | BLK                  | 7.5 | 8.5 | 10.7  | 245      | 714            | 340/50               | E  | C  | 72 |
| 19'            | 245/55R19 | 107HXL   | BLK                  | 7.5 | 8.5 | 10.7  | 253      | 753            | 340/50               | E  | C  | 72 |
| 20'            | 245/45R20 | 103HXL   | BLK                  | 8.0 | 8.5 | 10.7  | 253      | 754            | 300/44               | E  | C  | 72 |
| 20'            | 245/50R20 | 102H     | BLK                  | 7.5 | 8.5 | 10.7  | 243      | 728            | 340/50               | E  | C  | 73 |
| 20'            | 255/55R20 | 110HXL   | BLK                  | 8.0 | 8.5 | 10.7  | 265      | 788            | 340/50               | E  | C  | 73 |
| 20'            | 285/50R20 | 116HXL   | BLK                  | 9.0 | 8.8 | 11.1  | 297      | 794            | 340/50               | E  | C  | 75 |
| 21'            | 275/45R21 | 110HXL   | BLK                  | —   | 8.8 | 11.1  | 273      | 781            | 340/50               | —  | —  | —  |



# SNOWMARCH STUD



## M+S


|              |         |
|--------------|---------|
| RIM SIZE     | 14 - 17 |
| SERIES       | 45 - 75 |
| SPEED RATING | R - H   |



| Wheel Diameter | Size        | Index    | Sidewall Description | RIM | MM   | 1/32" | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|-------------|----------|----------------------|-----|------|-------|----------|----------------|----------------------|----|----|----|
| 14'            | 175/65R14   | 86TXL    | BSW                  | 5.0 | 7.3  | 9.0   | 7.3      | 584            | 350/51               | E  | C  | 71 |
|                | 185/65R14   | 90TXL    | BSW                  | 5.5 | 7.3  | 9.0   | 7.3      | 610            | 350/51               | E  | C  | 71 |
| 15'            | 185/60R15   | 88TXL    | BSW                  | 5.5 | 7.3  | 9.0   | 7.3      | 610            | 350/51               | E  | C  | 71 |
|                | 185/65R15   | 92TXL    | BSW                  | 5.5 | 9.5  | 12.0  | 9.5      | 610            | 350/51               | E  | C  | 71 |
|                | 195/60R15   | 92TXL    | BSW                  | 6.0 | 9.5  | 12.0  | 9.5      | 610            | 350/51               | E  | C  | 72 |
|                | 195/65R15   | 95TXL    | BSW                  | 6.0 | 9.0  | 11.0  | 9.0      | 635            | 350/51               | E  | C  | 72 |
| 16'            | 205/55R16   | 94TXL    | BSW                  | 6.5 | 7.5  | 9.0   | 7.5      | 635            | 350/51               | E  | C  | 72 |
|                | 205/60R16   | 96TXL    | BSW                  | 6.0 | 9.5  | 12.0  | 9.5      | 660            | 350/51               | E  | C  | 72 |
|                | 215/60R16   | 99TXL    | BSW                  | 6.5 | 10.0 | 13.0  | 10.0     | 660            | 350/51               | E  | C  | 72 |
|                | 215/65R16   | 102TXL   | BSW                  | 6.5 | 6.5  | 9.0   | 6.5      | 686            | 350/51               | E  | C  | 72 |
|                | 215/70R16   | 100T     | BSW                  | 6.5 | 11.5 | 14.0  | 11.5     | 711            | 300/44               | E  | C  | 72 |
|                | 225/60R16   | 102TXL   | BSW                  | 6.5 | 9.5  | 12.0  | 9.5      | 686            | 350/51               | E  | C  | 72 |
|                | 225/65R16   | 104TXL   | BSW                  | 6.5 | 11.5 | 14.0  | 11.5     | 711            | 300/44               | E  | C  | 72 |
|                | 235/70R16   | 106T     | BSW                  | 7.0 | 11.5 | 14.0  | 11.5     | 737            | 340/50               | E  | C  | 72 |
|                | 215/55R17   | 98HXL    | BSW                  | 7.0 | 9.0  | 11.0  | 9.0      | 60             | 340/50               | E  | C  | 72 |
|                | 215/60R17   | 100HXL   | BSW                  | 6.5 | 10.0 | 13.0  | 10.0     | 686            | 300/44               | E  | C  | 72 |
| 17'            | 225/45R17   | 94HXL    | BSW                  | 7.5 | 9.5  | 12.0  | 9.5      | 635            | 350/51               | E  | C  | 72 |
|                | 225/50R17   | 98HXL    | BSW                  | 8.0 | 9.5  | 12.0  | 9.5      | 660            | 350/51               | E  | C  | 72 |
|                | 225/55R17   | 101HXL   | BSW                  | 7.0 | 7.2  | 9.0   | 7.2      | 689            | 350/51               | E  | C  | 72 |
|                | 225/60R17   | 103HXL   | BSW                  | 6.5 | 10.0 | 13.0  | 10.0     | 711            | 300/44               | E  | C  | 72 |
|                | 225/65R17   | 106TXL   | BSW                  | 6.5 | 11.5 | 14.0  | 11.5     | 737            | 300/44               | E  | C  | 72 |
|                | 235/65R17   | 108TXL   | BSW                  | 7.0 | 11.5 | 14.0  | 11.5     | 737            | 300/44               | E  | C  | 72 |
|                | 245/65R17   | 111TXL   | BSW                  | 7.0 | 11.5 | 14.0  | 11.5     | 762            | 300/44               | E  | C  | 72 |
|                | 265/70R17   | 115T     | BSW                  | 8.0 | 13.5 | 17.0  | 13.5     | 813            | 550/80               | E  | C  | 73 |
| 16'            | 185/75R16C  | 104/102R | BSW                  | 5.0 | 9.0  | 11.4  | 9.0      | 684            | 475/69               | E  | C  | 72 |
|                | 235/65R16C  | 115/113R | BSW                  | 7.0 | 11.5 | 14.0  | 11.5     | 711            | 300/44               | E  | C  | 72 |
|                | LT225/75R16 | 115/112S | BSW                  | 6.0 | 11.5 | 14.0  | 11.5     | 737            | 300/44               | —  | —  | —  |
|                | LT245/75R16 | 120/116S | BSW                  | 7.0 | 11.5 | 14.0  | 11.5     | 762            | 300/44               | —  | —  | —  |
| 17'            | LT245/70R17 | 119/116S | BSW                  | 7.0 | 11.5 | 14.0  | 11.5     | 787            | 300/44               | —  | —  | —  |
|                | LT265/70R17 | 121/118S | BSW                  | 8.0 | 12.7 | 19.0  | 12.7     | 813            | 550/80               | —  | —  | —  |



# Ice X pro




## M+S

|              |         |
|--------------|---------|
| RIM SIZE     | 13 - 17 |
| SERIES       | 45 - 75 |
| SPEED RATING | S       |

Multi-directional groove distribution design  
It is helpful to improve the stability of driving in ice surface and improve driving safety.

High-density 3D steel blade design  
While ensuring the softness of the grounding surface of the tire, the overall block strength is improved to ensure super grip and reduce driving lag.




Diamond cut corner design  
It can effectively break through the water film, steadily pierce the ice surface and improve the anti-slip effect.

High-score white carbon black formula design  
Improve tire grip in cold environments and ensure the safety performance of tires at low temperatures.


| Wheel Diameter | Size       | Index    | Sidewall Description | RIM     | MM      | 1/32"     | Width MM | OA.diameter MM | Max Pressure kPa/Psi | RR | WG | SL |
|----------------|------------|----------|----------------------|---------|---------|-----------|----------|----------------|----------------------|----|----|----|
| 13'            | 165/70R13  | 79S      | BSW                  | 5.0     | 7.8     | 9.8       | 170      | 562            | 300/44               | C  | B  | 71 |
|                | 175/70R13  | 82S      | BLK                  | 5.0     | 8.0     | 10.0      | 177      | 576            | 300/44               | C  | B  | 71 |
| 14'            | 175/65R14  | 82S      | BLK                  | 5.0     | 8.0     | 10.0      | 177      | 584            | 300/44               | C  | B  | 71 |
|                | 175/70R14  | 84S      | BLK                  | 5.0     | 8.0     | 10.0      | 177      | 602            | 340/50               | C  | B  | 71 |
|                | 185/60R14  | 82S      | BLK                  | 5.5     | 8.0     | 10.0      | 189      | 578            | 300/44               | C  | B  | 71 |
|                | 185/65R14  | 86S      | BLK                  | 5.5     | 8.0     | 10.0      | 189      | 609            | 300/44               | C  | B  | 71 |
|                | 185/70R14  | 88S      | BLK                  | 5.5     | 8.0     | 10.0      | 189      | 616            | 340/50               | C  | B  | 71 |
| 15'            | 185/55R15  | 82S      | BLK                  | 6.0     | 8.5     | 11.0      | 194      | 585            | 300/44               | C  | B  | 71 |
|                | 185/60R15  | 84S      | BLK                  | 5.5     | 8.0     | 10.0      | 189      | 603            | 340/50               | C  | B  | 71 |
|                | 185/65R15  | 88S      | BLK                  | 5.5     | 8.0     | 10.0      | 189      | 621            | 300/44               | C  | B  | 71 |
|                | 195/50R15  | 82S      | BLK                  | 6.0     | 8.5     | 10.8      | 201      | 577            | 300/44               | C  | B  | 71 |
|                | 195/55R15  | 85S      | BLK                  | 6.0     | 8.5     | 10.8      | 201      | 596            | 300/44               | C  | B  | 71 |
|                | 195/60R15  | 88S      | BLK                  | 6.0     | 8.5     | 10.8      | 201      | 615            | 300/44               | C  | B  | 71 |
|                | 195/65R15  | 91S      | BLK/BSW              | 6.0/6   | 8.5/8.3 | 10.8/10.5 | 201/201  | 635/635        | 300/44 300/44        | C  | B  | 71 |
|                | 205/60R15  | 91S      | BLK                  | 6.0/6   | 7.8     | 9.8       | 209      | 627            | 300/44               | C  | B  | 71 |
|                | 205/65R15  | 94S      | BLK                  | 6.0     | 8.5     | 10.8      | 209      | 647            | 300/44               | C  | B  | 71 |
|                | 205/70R15  | 96S      | BLK                  | 6.0/6   | 7.8     | 9.8       | 209      | 669            | 300/44               | C  | B  | 71 |
| 16'            | 185/55R16  | 83S      | BLK                  | 6.0     | 7.8     | 10.0      | 194      | 545            | 340/50               | C  | B  | 71 |
|                | 195/55R16  | 87S      | BLK                  | 6.0     | 8.5     | 10.8      | 190      | 619            | 340/50               | C  | B  | 71 |
|                | 205/55R16  | 91S      | BSW/BLK              | 6.5/6.5 | 8.3/8.5 | 10.5/10.8 | 214/214  | 632/632        | 300/44 340/50        | C  | B  | 71 |
|                | 225/55R16  | 95S      | BLK                  | 7.0     | 8.5     | 10.8      | 233      | 680            | 340/50               | C  | B  | 71 |
|                | 195/60R16  | 89S      | BLK                  | 6.0     | 8.5     | 10.7      | 201      | 640            | 300/44               | C  | B  | 71 |
|                | 205/60R16  | 92S      | BLK                  | 6.0     | 8.5     | 10.8      | 209      | 652            | 340/50               | C  | B  | 71 |
|                | 215/55R16  | 93S      | BLK                  | 7.0     | 8.5     | 10.8      | 223      | 642            | 340/50               | C  | B  | 71 |
|                | 215/60R16  | 95S      | BLK                  | 6.5     | 8.5     | 10.8      | 221      | 664            | 340/50               | C  | B  | 71 |
|                | 215/65R16  | 98S      | BLK                  | 6.5     | 8.5     | 10.8      | 221      | 686            | 300/44               | C  | B  | 71 |
|                | 215/70R16  | 100S     | BLK                  | 6.5     | 8.5     | 10.8      | 217      | 708            | 300/44               | C  | B  | 71 |
|                | 225/70R16  | 107S     | BLK                  | 6.5     | 8.5     | 11.4      | 228      | 722            | 300/44               | C  | B  | 71 |
|                | 235/70R16  | 106S     | BLK                  | 7.0     | 9.0     | 11.4      | 240      | 736            | 300/44               | C  | B  | 71 |
| 17'            | 215/45R17  | 87S      | BLK                  | 7.0     | 8.5     | 10.8      | 231      | 626            | 340/50               | C  | B  | 71 |
|                | 215/50R17  | 91S      | BLK                  | 7.5     | 8.5     | 10.8      | 245      | 719            | 340/50               | C  | B  | 71 |
|                | 215/60R17  | 96S      | BLK                  | 6.5     | 9.0     | 11.4      | 221      | 690            | 300/44               | C  | B  | 71 |
|                | 225/45R17  | 91S      | BLK                  | 7.5     | 8.5     | 10.8      | 225      | 634            | 340/50               | C  | B  | 71 |
|                | 225/50R17  | 94S      | BLK                  | 8.0     | 8.5     | 10.8      | 265      | 739            | 340/50               | C  | B  | 71 |
|                | 215/55R17  | 94S      | BLK                  | 7.0     | 8.5     | 10.8      | 226      | 668            | 340/50               | C  | B  | 71 |
|                | 225/55R17  | 97S      | BLK                  | 7.0     | 8.5     | 10.8      | 233      | 680            | 340/50               | C  | B  | 71 |
|                | 235/55R17  | 99S      | BLK                  | 7.5     | 8.5     | 10.8      | 245      | 690            | 340/50               | C  | B  | 71 |
|                | 225/60R17  | 99S      | BLK                  | 6.5     | 9.0     | 11.4      | 228      | 702            | 300/44               | C  | B  | 71 |
|                | 225/65R17  | 102S     | BLK                  | 6.5     | 9.0     | 11.0      | 228      | 724            | 300/44               | C  | B  | 71 |
|                | 235/65R17  | 108S     | BLK                  | 7.0     | 9.0     | 11.4      | 240      | 738            | 340/50               | C  | B  | 71 |
|                | 245/45R17  | 95S      | BLK                  | 8.0     | 8.0     | 10.0      | 243      | 652            | 340/50               | C  | B  | 71 |
| 16'            | 265/65R17  | 112S     | BLK                  | 8.0     | 9.0     | 11.4      | 272      | 776            | 300/44               | C  | B  | 71 |
|                | 285/65R17  | 116S     | BLK                  | 8.5     | 8.5     | 10.8      | 292      | 802            | 300/44               | C  | B  | 71 |
|                | 185/75R16C | 104/102R | BLK                  | 5.0     | 9.5     | 12.0      | 184      | 684            | 475/69               | C  | B  | 71 |
|                | 195/75R16C | 107/105Q | BLK                  | 5.5     | 9.5     | 12.0      | 196      | 698            | 475/69               | C  | B  | 71 |



# CERTIFICATES



# PRODUCTION LINES



# Tire Sidewall marketing descriptions



## Speed

Speed symbol indicates the maximum travel speed that the tire can achieve understated condition.

| SS  | Maximum Speed (km/h) |
|-----|----------------------|
| L   | 120                  |
| Q   | 160                  |
| S   | 180                  |
| T   | 190                  |
| H   | 210                  |
| V   | 240                  |
| W   | 270                  |
| Y   | 300                  |
| *ZR | over 240km/h         |

\*ZR means ace tain range of speed

Maximum speed refers to the speed that the tire can achieve on flat road after normal installation.

## Loading Index

Load index refers to numeral value of tire's maxi num load ability understated condition.

| LI | loading capacity | LI | loading capacity | LI  | loading capacity | LI  | loading capacity |
|----|------------------|----|------------------|-----|------------------|-----|------------------|
| 60 | 250              | 76 | 400              | 91  | 615              | 106 | 950              |
| 61 | 257              | 77 | 412              | 92  | 630              | 107 | 975              |
| 62 | 265              | 78 | 425              | 93  | 650              | 108 | 1000             |
| 63 | 272              | 79 | 437              | 94  | 670              | 109 | 1030             |
| 64 | 280              | 80 | 450              | 95  | 690              | 110 | 1060             |
| 65 | 290              | 81 | 462              | 96  | 710              | 111 | 1090             |
| 66 | 300              | 82 | 475              | 97  | 730              | 112 | 1120             |
| 67 | 307              | 83 | 487              | 98  | 750              | 113 | 1150             |
| 68 | 315              | 84 | 500              | 99  | 775              | 114 | 1180             |
| 69 | 325              | 85 | 513              | 100 | 800              | 115 | 1215             |
| 70 | 335              | 86 | 530              | 101 | 825              | 116 | 1250             |
| 71 | 345              | 87 | 545              | 102 | 850              | 117 | 1285             |
| 72 | 355              | 88 | 560              | 103 | 875              | 118 | 1320             |
| 73 | 365              | 89 | 580              | 104 | 900              | 119 | 1360             |
| 74 | 375              | 90 | 600              | 105 | 925              | 120 | 1400             |
| 75 | 387              |    |                  |     |                  |     |                  |